

Prediction -

**Using Common and
Prenatal Cycles**



ALEXANDER MARR

AMERICAN FEDERATION OF ASTROLOGERS

Prediction -
Using Common and
Prenatal Cycles

ALEXANDER MARR

PREDICTION - USING COMMON
AND PRENATAL CYCLES

FIRST PRINTING

ALL RIGHTS RESERVED

Copyright 1981 by Alexander Marr

No Part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher.

Library of Congress Catalog Card No. 82- 71346

ISBN 0-86690-032-2

Printed in the United States of America

Published by:

AMERICAN FEDERATION OF ASTROLOGERS

P.O. Box 22040, Tempe, Arizona, USA 85282

for
CYRIL FAGAN
and
A. P. NELSON PAGE

TABLE OF CONTENTS

1. THE STRUCTURE & SIGNIFICANCE OF THE TRANSIT SYSTEM	1
2. EVALUATION OF TRANSITS AND PRENATAL TRANSITS IN THE HALF-SUM SYSTEM OF REINHOLD EBERTIN ..	7
3. SOLAR RETURNS	11
4. SIDEREAL SOLAR RETURN	19
5. DIRECTIONS DERIVED FROM THE SIDEREAL SOLAR RETURN	23
6. INTERPRETATION OF PROGRESSED/REGRESSED MOON CONJUNCTIONS & OPPOSITIONS	31
7. LUNAR RETURNS: USE & INTERPRETATION	39
8. THE SIDEREAL LUNAR RETURN	43
9. THE NATAL QUOTIDIAN LUNAR	47
10. LUNATIONS AND ECLIPSES	53
11. GENERAL RULES FOR CYCLES & TRANSITS	59
12. THE RADIX HOROSCOPE	61
13. SIDEREAL RADIX INTERPRETATION	63
14. DOMINANT & MOST ESSENTIAL FACTORS IN RADIX INTERPRETATION	65
15. INTERPRETATION OF COMBINED PLANETARY SYMBOLISM	71
16. ASTROLOGICAL FORECASTING	87
17. AN INTRODUCTION TO POLITICAL ASTROLOGY ..	93
18. INTERPRETATION OF PLANETS IN POLITICAL ASTROLOGY	99
19. APPENDICES	107
TIME SYSTEMS	109
TOPOCENTRIC HOUSE SYSTEM	113
CORRECTING MOON	118
TABLE 1: PRENATAL TRANSITS	121
TABLE 2: CORRECTING MOON	137
TABLE 3: REDUCTIONS OF E.T. TO U.T.	138
MIDPOINTS FOR J. F. KENNEDY	139

FOREWORD

This book is based on practical research carried out over a twenty year period on the usefulness of progressed and converse cyclic charts.

The discoveries of the eminent astrologer Cyril Fagan split the astrological world into three main camps: Tropical, Sidereal, and what the late Brigadier Firebrace termed "Little Bastard Zodiac", where precession is expunged from charts whilst maintaining the tropical zodiac. Arguments from the proponents of each school based solely on personality delineation are virtually endless and of little value. The ultimate test for the validity of astrology will always be rooted in its accuracy (or inaccuracy!) of prediction. Computers will undoubtedly play a crucial role here.

As far as predictive techniques are concerned, it is too early (or perhaps impossible?) to conclusively favor one zodiac over the other. I hope to persuade Siderealists that transits to the radix should be applied in the tropical manner, that is, disregarding precession. However, in regard to return charts, both Tropical and Sidereal Solar Returns are valid; while Tropical Lunars in my experience are no match for Sidereal Lunar Returns as far as efficacy is concerned.

Readers will notice that not many tables are reproduced in this book. The rapid computational abilities of calculators and micro-computers, which are now easily affordable, renders the cumbersome tables rather obsolete. I have tried to strike a happy medium between those with such machines and those who have none. For the latter, a sufficient number of tables are provided to facilitate computations.

Some material presented in this book is taken from my previous articles in SPICA, the Sidereal journal of my friend and patron Brigadier R. C. Firebrace who left this planet in November of 1974 when the final pages of this book were being completed. His editorship of SPICA was characterized not only by his open mind and critical intellect, but also by his great tolerance toward those who presented extreme views.

I wish to extend my gratitude to my friends and colleagues, Dr. Margaret Millard and Thomas Kushner who have made publication of this book possible through their kind assistance.

Alexander Marr

PREDICTION -
Using Common and
Prenatal Cycles

THE STRUCTURE AND SIGNIFICANCE OF THE TRANSIT SYSTEM

Most students are familiar with the use of transits. It is common practice for astrologers to examine the daily positions in the ephemeris to note what aspects are being formed among the transiting bodies on that day, and then compare these to the natal positions of the planets. For example, one should not sign important documents on a day when transiting Mercury is squaring or opposing transiting Saturn, and the negative effects of this transit will be further emphasized if Saturn and Mercury simultaneously aspect the natal planets or angles. In this book, we shall refer to the daily positions of the moving heavenly bodies as *common transits* because they are so widely known and used. The reader should note that these positions are moving *forward in time*.

Transits in aspect to planets of the radix coincide with events. In ancient times, this might have been the first observation - - the origin of astrological research.

Yet, at the beginning of this century, the use of transits became unfashionable. Astrologers looked contemptuously on those who tried to analyze or forecast events with these simple tools. Instead, all kinds of directions were proposed, most of which proved to be fictional.

A great advance in the theory and practice of transits was made by ALFRED WITTE, originator of the midpoint (half sum) technique. His original system was overloaded with superfluous and fictional factors, but REINHOLD EBERTIN, one of our most gifted contemporary astrologers, has put the theory in order.

According to Ebertin, transits are not necessarily the initiators of events, but rather reflect the psychological condition of the native. A further advance in the study of transits was made by Cyril Fagan when he rediscovered the astrological methods of the ancient Egyptians, who used the sphere with its background of fixed stars. The series of new discoveries and improvements in connection with transits and cyclic charts would not be complete without converse, i.e. Prenatal transits and cycles.

PRENATAL TRANSITS

My experience over the past twenty years has shown that the positions which the planets occupied *before* birth also play an important role in our lives. In this book we shall refer to these as *prenatal* (or *converse* or *regressed*) *transits*. These are complementary to the common transit system, and add a further element of individuality and versatility to interpretive technique. My experience has shown that these findings may one day not only influence, but decisively improve our knowledge of:

- A. Synastry
- B. Authentication of the true birth time.
- C. The Prenatal Epoch (radix of conception).

The technique and interpretation of prenatal transits had been regularly described in SPICA, the journal of Sidereal astrology (1962-1974). Here we can say that converse charts are:

- 1. Effective in every correct directional or cyclic system (such as primary directions and solar returns);
- 2. Complementary to the corresponding forward-moving directional systems and common transits;
- 3. Equally as effective as the relevant direct maps.

Progressions and regressions are substantially the same with respect to measurement, where plus equals progression and minus equals regression.

Although converse Primary and Secondary directions are frequently employed by astrologers, less attention has been paid to converse cyclic charts and prenatal transits. The writer also makes use of Co-transits, which are Converse transits derived from the Solar Revolution.

As a matter of principle, analysis and forecast in the transit system should be carried out with both common and prenatal transits.

ECLIPTICAL MEASUREMENT

There is no doubt that ecliptic measurement is reliable. Any planetary positions, be they transits, directions or factors in cyclic charts (such as solar and lunar returns), when in aspect to factors of the radix, have to be considered on the ecliptic, without taking precession into account. The proof of this is that the orbs of the aspecting planets are closer in the tropical measurement. This is one of the traditional rules which the rediscovery of the Babylonian and Egyptian Zodiac by Cyril Fagan could not change.

INTERPRETATION OF ASPECTS

The writer recommends in order of strength:

1. THE CONJUNCTION:

The most important aspect, wherein the combined forces of the two planets will always be powerful.

2. THE OPPOSITION:

This has a smaller orb of influence than the conjunction, but may have equal impact. The two planets are in an aspect of tension, trying to compete with one another. The most harmonious and effective oppositions are those of Sun/Jupiter, Sun/Moon, Moon/Jupiter, Mars/Jupiter, Jupiter/Uranus, Jupiter/Pluto, and, of course, oppositions between neutral and benevolent planets, if no malefics are involved.

Both the Conjunction and the Opposition are neutral aspects, i.e. the character of the event entirely depends on the significance of the participating planets.

3. THE SQUARE

An aspect of short duration but explosive power. It is most dangerous if Mars, Saturn, Uranus or Pluto form the aspect. If neutral planets (Sun, Moon, Mercury, Uranus) form the aspect, we can expect psychological tension no matter what the outcome of the actual event (benevolent or difficult) may be.

4. THE TRINE

A harmonious aspect of considerable effect producing satisfaction, sometimes as a result of success. In general at least one neutral or one benevolent planet should participate in the aspect. Trines between and involving the malefics may pass unnoticed, although sometimes they may be associated with misfortune, especially with Mars/Saturn, and Saturn/Pluto.

5. THE SEMISQUARE (45°) and THE SESQUIQUADRATE (135°)

Their effectiveness in transits is much underrated. Like squares, they have explosive power but short duration.

6. THE SEXTILE

It has the characteristics of the Trine but with much less power.

The strength of SEMISEXTILES and QUINCUNXES is very weak. They play a modest role in Primary and Secondary directions, but may be neglected in the Transit system. It is quite certain that in the Transit system, other aspects apart from those mentioned are of little value.

ORBS

It appears that the efficacy of transiting planets relies upon the planetary motion (apparent), of those bodies. In fact, the orbs of slow planets (Jupiter-Pluto) involved in events are much smaller than the orbs of the quickly moving planets. Stationary planets in aspect to radical positions may have longer lasting effects because they remain longer in orb. Hence, we see that not the orb alone, but a certain Time factor also plays a decisive role.


Aspects of quickly moving planets (Sun-Mars) to radical factors may coincide with events when the orb is greater than expected. They should probably be given a Time factor of half a day.

The conjunction has the greatest orb, not only because it is the most powerful aspect, but because it acts in mundane conjunctions (OA, OD, rising and setting) as well as in zodiacal conjunctions. Nev-

ertheless, a slow planet more than a degree distant from another planet or angle is not directly involved in a psychological experience or event.

There are other planetary conjunctions in the transit system, i.e. in cyclic charts, which play a dominant role during the whole period of the cycle, and which will be discussed later. We must distinguish between a direct and an indirect effect. A planet in the Transit system in conjunction to a planet of the radix which is not involved in other aspects or midpoints, i.e. a direct aspect, has far smaller orbs than tradition teaches. No more than half a degree should be allowed. Planets which are simultaneously involved in other combinations (especially midpoints) have orbs of around one degree when aspected by conjunction or opposition. These are indirect aspects.


PRESIDENT J. F. KENNEDY



1917, May 29 - 19h 51m 43s E.T.

Brookline, Mass. 42°20' - 4h 44m 32s (W)


Tropical SR



1963, May 29-22h46m36s ET

Washington

Total Solar Eclipse



1963, July 20-20h43m ET

Birthplace

EVALUATION OF TRANSITS AND PRENATAL TRANSITS IN THE HALF-SUM SYSTEM OF REINHOLD EBERTIN

A HALF-SUM is the Arithmetical mean in ecliptic between any two astrological factors, i.e. luminaries, planets or angles. By adding the longitude of two factors and dividing the result by two we find the sensitive MIDPOINT.

All halfsums in a radix should be computed. Each planet, together with the Mean Node, MC and ASC should be used. If the radix is properly rectified, halfsums with angles of the radix may also be computed.

EXAMPLES:

$$\begin{array}{rcl} \text{Sun} & 67^{\circ}50' & (7 \text{ Gemini } 50) \\ \text{Moon} & 167^{\circ}08' & (17 \text{ Virgo } 08) \\ \hline & 234^{\circ}58' & \end{array}$$

The halfsum is half this number, $117^{\circ}29' = \text{Sun/Moon}$.

The number of desired halfsums can be checked with the formula:
 $(n-1) * n/2$

In a rectified radix, 13 factors (luminaries, planets, Mean Node, angles) are used for the Midpoint technique. Applying the above formula $n-1 = 12$; $n/2 = 6.5$; $12 * 6.5 = 78$.

The following aspects to midpoints (halfsums) are effective and should be used in any kind of midpoint analysis.

1. Conjunctions and oppositions to midpoints.

The writer makes no distinction between the long and short midpoints.

EXAMPLE: In our radix (Kennedy) the midpoint of Uranus and Pluto has the following computation:

$$\begin{array}{r} \text{Uranus } 323^{\circ}43' \\ \text{Pluto } \quad 93^{\circ}14' \\ \hline 416^{\circ}57' \text{ divided by } 2 \text{ is } 208^{\circ}29' = (28^{\circ} \text{Libra } 29') \end{array}$$

The other midpoint is $(28^{\circ} \text{Aries } 29')$

Planetary positions in squares to midpoints (maximum orb 8') and in semisquare and sesquiquadrate to midpoints (orb 5' max.) are effective.

Therefore the midpoint Uranus/Pluto radix has the following sensitive points:

$28^{\circ}29'$ Libra, Aries, Cancer, Capricorn
 $13^{\circ}29'$ Virgo, Pisces, Gemini, Sagittarius

In the same way, halfsums of transiting planets may be compared to radical planets and aspect points. As can be seen, the number of factors involved is very great, therefore the number of planets must be limited according to the nature of the event. The writer rejects 22.5° aspects; so called "full sums"; and all other methods which, by augmenting the number of factors, have extended astrology "ad absurdum".

The assassination of John F. Kennedy is taken as an example. November 22, 1963, 18h 30m U.T. (Please see Chart 1)(Page 5)

TRANSITS AND MIDPOINTS

Neptune 15° Sagittarius $56'$ conjunct 2 (opposition 8°) radical
 15° Scorpio $35'$

Mars 20° Sagittarius $32'$ = Sun/Pluto radical (20° Gemini $32'$)

Ascendant/Uranus radical = 21° Sagittarius

Sun/Pluto 21° Libra $54'$ square MC radical 21° Cancer $44'$

Mars/Pluto 2° Scorpio $18'$ square Neptune radical 2° Leo $40'$

PRENATAL TRANSITS.

Computation with Day Numbers TABLE I.

Event 1963, Nov. 22	18h 30m	59860(59838 plus 22)
Birth 1917, May 29	19h 51m 24s	42882(42853 plus 29)
Difference (subtract)	22h 38m 36s	16977
1870, Dec. 3	21h 12m 48s	25904
		Prenatal Transit

This computation needs some special care:

(a) The Day Numbers in the tables are always for the "zero" date of the month.

(b) Before subtracting the Day Numbers, one must subtract the Universal Time. Then add, if necessary, 24 hours to the time of the event and deduct one day from the difference. Add, if necessary, 24 hours to the difference and deduct one more day from the radix Day Number.

For radices with events for which the prenats fall in the 19th century, Universal Time or GMT should be used.

PRENATAL TRANSITS AND MIDPOINTS FOR ABOVE DATE (December 3, 1870)

Pluto 17° Taurus 32' conjunct Mars radical 18° Taurus 26';
 Uranus 26° Cancer 12' conjunct Saturn radical 27° Cancer 10'
 — Mars/Pluto 18° Cancer 06' square Ascendant radical 18° Libra 19'
 Saturn/Pluto 8° Virgo 06' square Sun radical 7° Gemini 50.
Saturn/Neptune 23° Aquarius 58' = Uranus radical (23° Aquarius
43')
Uranus/Neptune 7° Gemini 44' = Sun radical 7° Gemini 50'

An orb for Midpoints is suggested.

Midpoint (conjunct and opposite)

Midpoint squares

Midpoint semisquare, sesquiquadrate

{ 30' of arc. }
 { 8' of arc. }
 { 5' of arc. }

The orb which should be allowed depends on the role the planets play. If aspecting planets appear in several combinations, they may have an effect with larger orbs. In our examples of Transits and Pre-

natal transits, Mars, Saturn, Uranus and Pluto appear in several combinations.

In contrast to traditional aspects of single features, the character of midpoints and their aspects is neutral and depends entirely on the symbolism of the planets involved.

SOLAR RETURNS

It appears that Tropical Solar Returns which have traditionally been used for centuries have been entirely displaced by Sidereal Solar Returns, which have, no doubt, proved to be of much practical use in astrology. It would, however, be completely unjust to condemn all contemporary astrologers and to underrate classical astrologers for their use of Tropical Solar Returns.


This writer found in a considerable number of cases that S.S.R.'s seem to fail completely, while the Tropical S.R.'s (direct and prenatal) showed the true characteristics of the main events of the year. Further research has made possible this distinction:

- A. The Tropical Solar Return shows main events in accordance with the promise of the radix and current directions.
- B. The Sidereal Solar Return represents the psychological state of the native during the year. In most cases, these conditions are more important for him than the event itself.

COMPUTATION OF THE TROPICAL SOLAR RETURN

According to tradition, tropical solar returns are erected for the moment when the transiting Sun is in exact ecliptical conjunction with the tropical radical Sun. This rule has been modified by the late A. P. Nelson Page, Vendel Polich and their group in Buenos Aires, adjusting the Ephemeris Time and Universal Time of the Solar Return by the Equation of Time.

A. P. NELSON PAGE



1919, Feb. 25, 11h 28m 44s ET
London: 51°N 32', -Om 32s W

In extreme cases, this gives large time differences. The writer, who has experimented with both methods, as given in *Astrologia*, 1969, No. 40, Buenos Aires, is not convinced, and uses the standard method.

EXAMPLE: Tropical solar return for President Kennedy's Assassination

Sun radix	7° 50' 16" Gemini
Sun 1963, May 29, Noon	7° 24' 26" Gemini
Difference	25' 50" 84309 (ternary prop. logs)
Sun's motion in 24 hrs.	57' 32" 49535

Solar Time in E.T. 10h 46m 36s 34774 (Diurnal prop. logs)

The computation above utilizes Ternary and Diurnal logs, which in this combination shortens the computational process. Interpolation to seconds is only useful if the birthtime of the radix has been properly rectified, otherwise rounding off to full minutes is recommended.

10h 46m 36s	E.T. (22h 46m 36s)
<u> 35s</u>	(Delta T)
10h 46m 01s	U.T. (p.m.)
<u> 1m 46s</u>	accel.
10h 47m 47s	

(Or use calculator)

<u>4h 25m 10s</u>	S.T. Noon, 5/29/63
15h 12m 57s	RAMC Greenwich
<u>- 5h 08m 02s</u>	Washington D.C., slow
10h 04m 55s	

10h 04m 55s RAMC Washington in arc 151° 13' 45" Chart Ia.

The map shows the following characteristic planets angular: Mars, Uranus, Pluto near the M.C., Neptune in XII near the Ascendant. In other words, the planets most characteristic of the event have dominant positions in the tropical solar return. The ecliptical conjunction of Regulus (ruler of state) to the M.C. is important, and it is encircled by the above mentioned planets.

The date of the corresponding Converse (Prenatal) Tropical Solar can always be easily found by deducting the age from birth in full years.

$$1917 - 46 = 1871$$

Date: 1871, May 29, Sun's position at Noon: 7° 37' 42" Gemini

Using U.T. for all Ephemeris computations before 1900 we get:

7° 50' 16"	5h 14m 43s U.T. (p.m.)
<u>7° 37' 42"</u>	<u> 51s</u>
12' 34" 1.15605	5h 15m 34s
<u>57' 30" 0.49560</u>	<u>4h 26m 17s</u>
5h 14m 43s .66045	9h 41m 51s
	<u>-5h 08m 02s</u>

4h 33m 49s RAMC WASHINGTON

Although the direct Tropical Solar had all the characteristic Planets on the angles, there are no significant angularities in this Prenatal Tropical Solar except Mars in I. (Chart not reproduced).

Illness and death are usually better represented by prenatal charts, but in our case the death of President Kennedy was a most public affair, and therefore it is better illustrated by the common (direct) Tropical Solar, (Chart 1a). Besides the public nature of his death, it was not associated with long illness and suffering.

In contrast to this are the significant angularities in the Prenatal Tropical Solars of A. P. Nelson Page (Radix Chart 2). This eminent astrologer passed away on March 1, 1970 in Buenos Aires after long suffering caused by lung cancer.

Chart 2a Prenatal Tropical Solar (for illness 1969) 1869
Mars solar conjunct Descendant solar (orb 17')
Pluto solar conjunct I.C. (exact)

Chart 2b Prenatal Tropical Solar (for death 1970) 1868
Saturn solar conjunct Ascendant solar


The great number of "bad" aspects of solar planets to factors of the radix is very significant and characteristic of the working out of tropical solars. On the other hand, the slowly moving solar planets may be regarded as transits, as death occurred only 5 days after the solar came into operation.

Moon solar conjunct Mars radical (orb 1')
Mercury solar conjunct Mars radical (orb 11') ✓
Mars solar conjunct M.C. radical (45') opposite Saturn radical (47')
Saturn solar square Sun radical (24')
Uranus solar semisquare Saturn radical (4')
Descendant Node conjunct Sun radical (39')
Neptune solar semisquare Uranus radical (13')
Pluto solar semisquare Ascendant radical (9')

THE FOLLOWING RULES CONCERNING TROPICAL SOLAR PLANETS ASPECTING RADICAL FACTORS ARE VALID.

- (a) Planets in close aspect to radical factors signify that very characteristic events will happen sometime during the solar year. The aspected factors may be luminaries, planets or angles. When forecasting events, these exact solar radix aspects should be given top priority (orb 5' max.), because they are, in general, more effective than ordinary non-


Prenatal Tropical SR



for 1969-1869

Buenos Aires

Prenatal Tropical SR



for 1970 - 1868

Buenos Aires

angular interplanetary directions of any directional system. If, as in the prenatal death solar of Nelson Page, many malefics simultaneously aspect radical factors, larger orbs may be taken. Larger orbs may be admitted for conjunctions through-out. (No reliable figures have yet been obtained).

- b) The writer fully agrees with Nelson Page's statements that in general all planets of tropical solars may produce events if they aspect radical factors with orbs under one degree. However, the decisive distinction between (a) and (b) lies in the fact that aspects which are almost mature on the date of the tropical solar are many times more reliable and effective than aspects with large orbs. (As explained above conjunctions are the only exception in having a relatively large orb).

The following radix aspects of tropical solar planets in the year of President Kennedy's death in 1963 were characteristic:

1. Saturn solar 23° Aquarius $05'$ conjunct Uranus radical 23° Aquarius $43'$

This aspect was very effective as:

- (a) it happened to be a conjunction
(b) the conjunct is close to cusps 5 radical

The actual event for this conjunct was the death of Kennedy's son, who died shortly after birth, August 9, 1963.

2. Mars solar converse (prenatal) 23° Virgo $44'$ quincunx Uranus radical ($1'$)

As Mars solar happens to fall on cusp 12 radical, this aspect may be taken for Kennedys' violent death. However, more characteristic of this event is:

3. Pluto solar converse (prenatal) 18° Taurus $48'$ conjunct Mars radical in 8 radical ($22'$)

This writer's rectified radix for Cyril Fagan (Chart 3) provides another significant example. He received a considerable inheritance on August 23, 1962 on the death of his sister, and Jupiter in the tropical so-


LP, SR

lar of 1962 is here in exact conjunction with his radical Descendant of 10 Pisces 15 (Chart 3b, Page 20). Very characteristic for an inheritance is the Jupiter-Pluto opposition (inheritance) on Descendant-Ascendant of this chart, and also Descendant Node conjunct Saturn (death of a relative).

For practical work, the writer rejects any directions where Solar angles are involved because:

- (a) No such directions have been found which mature within small orbs to the time of an event.
- (b) Solar angles complete one full cycle during the year and are of no practical use whatsoever.

CYRIL FAGAN



1896, May 22-12h 27m 54s UT

Dublin, 53°N 21'; -25m 03s W

6W15

The most effective factors in tropical solar (Direct and converse) in the order of their efficacy are:

A. Angular solar planets in close aspect to radical factors, such as:

1. Luminaries
2. Planets
3. Mean Node
4. Angles

Orbs used here should be 5' maximum except when many planets simultaneously aspect radical factors (as in the case of Nelson Page's pre-natal solar return for death).

B. As under A, but not angular

C. As under A, or B, but with large orbs.

GENERAL RULES:

Angular planets in the tropical solar have a great effect during the current year if they form aspects with factors of the radix.


Conjunctions of solar planets with the radix are effective with orbs up to one degree.

THE SIDEREAL SOLAR RETURN


The SSR is, besides the Sidereal Lunar Return, the most popular cyclic chart. It does not indicate events, as does the tropical solar return, but together with its Converse (prenatal) return, it reflects the main psychological experiences of the native during the year in question. This also explains why both the direct and converse sidereal solar return for KENNEDY'S death showed the psychological experience of the native from May to November 1963, i.e. travel and success, but no sign of violent death, which Kennedy obviously suffered without any conscious experiences.

Neither the tropical nor sidereal zodiac can distinguish between the kind of events promised by the planets in various signs when applied to mundane cyclic charts, as the ecliptical positions are the same for everyone in the world. However, transits and directions when applied to the radix should be measured in the tropical zodiac because true and characteristic transits have larger orbs if sidereal measurements are applied.

As long as siderealists evaluate their cyclic charts without comparing them to the radix, the sidereal zodiac may be used, and some promising results are possible. However, readers doing practical work and evaluating the most effective astrological phenomena for reasons of truth and simplicity should use the tropical zodiac throughout.




SSR



1948, May 23-20h 19m 51s ET

Dublin

Tropical SR



1962, May 23-11h 38m 22s ET

London

COMPUTATION OF THE SIDEREAL SOLAR RETURN

EXAMPLE: Radix (Chart 3, Page 17) of Cyril Fagan.

Computing the Sidereal Solar Return for his great discovery in the field of the Sidereal Babylonian Zodiac:

1949, May 14

Vernal Point radix	6° 42' 15.3"	
V.P. 1948, May 25	<u>5° 59' 02"</u>	Interpolated table values of the "Synetic Vernal Point Ephemeris". STAHL-ALLEN
	43' 13.3"	

Sun rad (trop)	1° 51' 24"	Gemini
+ precession	<u>43' 13"</u>	Gemini
	2° 34' 37"	Gemini

Sun 1948, May 23	2° 14' 37"	Gemini
Sun 1948, May 24	3° 12' 14"	Gemini

SSR computation (similar to the demonstrated tropical) gives:

8h 19m 51s	E.T. (p.m.) 1948, May 23	
- 28s	Delta T	
8h 19m 23s		

1m 22s	accel.	
4h 04m 01s	S.T. Noon	
12h 24m 46s	RAMC Greenwich	
- 25m 03s	Dublin Slow	
11h 59m 43s	RAMC DUBLIN CHART 3a	

The Converse (prenatal) Sidereal Solar is to be found in an analogous way to the tropical:

1948 SSR	
1896 Birth	
- 52 Age	

1844 year for converse SSR (and tropical solar converse)

Precession, which in converse prenatal maps is always subtractive, has to be computed with figures from *The Vernal Point Ephemeris*.

(Average) precession 1844, Jan. 1	7° 26' 15.74"	Table 1
correction with S.T. ca 3h 58m	<u>— 18.5"</u>	Table 2
correction for Node at 254° 44'	<u>— 16.7"</u>	Table 3

Vernal Point 1844, May 21	7° 25' 40.5"
Vernal Point radix	<u>6° 42' 15.3"</u>
Precession	43' 25"

SUN radix	1° 51' 24"	Gemini
<u>— Precession</u>	<u>43' 25"</u>	
	1° 07' 59"	Gemini; Tropical Sun needed to compute the Converse SSR 1844, May 22, 4h 28m 19s U.T.

(not reproduced)

DIRECTIONS DERIVED FROM THE SIDEREAL SOLAR RETURN

Experience shows that angular directions in the SSR are generally of little use in practical and experimental astrology. Reasons for this have been given in the section dealing with the directions of the Tropical Solar. The most convincing directions of the SSR are:

*Progressed Planets in Aspect to Progressed Planets,
Or Regressed to Regressed.*

These directions in general mature within 5' of arc. In the case of conjunctions particularly if the Moon is involved, a maximum orb of 8' of arc should be admitted.

When *Cyril Fagan* in the fifties made the discovery that the progressed SSR Moon when in conjunction or opposition to the progressed Sun or the progressed planets coincides with events, he found an instrument to prove astrological efficacy in a simple way, such as never has been found before. These conjunctions and oppositions of the Moon never seem to fail to produce events. The writer can confirm, for instance, that Moon progressed aspecting Mars progressed (or both regressed) without exception produce events which result from rows, quarrels, loss of temper, or similar events along these lines. As the Moon travels only some 13° a day, and one day in secondary measure equals one year, directions of this nature occur only rarely even if we use the equivalent converse (prenatal) SSR and the regressions stimulate the emotions and can therefore best be evaluated by our own radix and those of friends and relations.

I fully agree with FAGAN's statement that this is a good tool to achieve an approximate but absolutely sure rectification, provided that we have recorded a few of these SSR Moon progressions/regressions together with corresponding events, or a correspondingly suitable psychological experience. A rectification of this nature should be possible for all astrologers as far as their own radix is concerned. The results should be at least within two minutes of time (30' of arc in RAMC.) An approximate rectification of this kind facilitates the refined rectification within 1' of arc (4 seconds) by means of Primary Directions.

The effect of these Moon conjunctions and oppositions (to other progressed or regressed factors) is increased beyond the emotional or psychic to major events if:

- (a) The aspect matures near an SSR angle.
- (b) The Moon or the aspected planet is in aspect with other directed planets of the SSR. Such planets if in conjunction or opposition not only increase the effect of the direction but also may determine the character of the event. Please see example below: (Fagan, Marconi)
- (c) Another directed factor is in exact aspect to the fully matured Moon aspect, i.e. an exact formation with three factors. In a formation with four factors (event: Fagan's major discovery) the Moon might form a close aspect to only one of the planets involved.

Radix Guglielmo Marconi, Refined Rectification Chart 4. (Page 25)

Event: The most vital discovery at the beginning of wireless telegraphy; the use of the earth and aerial, Mid September, 1895: (Charts 4a and 4b, Page 29)

SUN radical 4°54'51" Taurus; prec. 17'48"; Sun pre. 5°12'39" Taurus


SUN Noon 1895, April 25, 5°00'32" Taurus; Sun's motion in 24h = 58'22"

(Date and time of SSR 1895,) April 25, 16h 58m 56s U.T.

RAMC Bologna 7h 58m 08s (not reproduced)

253

GUGLIELMO MARCONI



1874, April 25-7h44m40s UT

11E20

near Bologna: 44°N30'; +45m 23s E

SSR Planets which should form aspects at the time of the event analyzed.

Moon	13° Taurus 07'
Uranus	18° Scorpio 29'
Jupiter	2° Cancer 19'
Mars	2° Cancer 07'

Computing Date and Time of the Moon-Uranus Opposition

The Moon will move in half a day about 6° to reach the opposition to Uranus, which in that time will move about 1' of arc.

Uranus progresses 18 Scorpio 28; U.T. of Moon progressed at 18 Taurus 28?

Moon 18 Taurus 28 = 14h 44m (Noon Ephemeris, 1895, April 25)

(Computation is similar to the computation of a Lunar Return; please see below, *Sidereal Lunar Returns*).

Moon prog.	14h 44m	
U.T. SSR	4h 59m	(p.m.)
Difference	9h 45m	
+S.T. SSR	2h 14m	(S.T. Noon April 25, 1895, plus acceleration)

11h 59m S.T. of event to be found between
the 20th and 21st September 1895
(Noon Ephemeris)

At the time of the maturing Moon progression, 2h 44m April 26, there is another maturing progression significant for the event.

Mars progressed 2° Cancer 21'
Jupiter progressed 2° Cancer 23'

The regressed Moon, if forming aspects with regressed planets (both SSR) must be computed as follows:


Suppose we had a slow moving planet in 6 Taurus 32 at about the regressed time of the event, i.e. 28h 59m - 9h 45m = approximately 19h of the previous day.

U.T. SSR	28h 59m (1895, April 24, Noon Eph.)
Moon regressed 6 Taurus 32	<u>16h 46m</u>
Difference	12h 13m

While, as can be seen in our example, regressions are subtractive, the time difference of regression must be added to the S.T. of the SSR, as any event analyzed naturally happens during the current SSR year, i.e. after the SSR date.

2h 14m + 12h 13m = 14h 27m, corresponds to S.T. 1895, October 28.

This is far in time from the event analyzed, but is only entered to show the method.

A similar SSR Moon progression (Moon p. opposition Uranus p.) is in the 1948 SSR of Cyril Fagan (Chart 3a) for his important discovery of the Sidereal Babylonian Zodiac, May 14, 1949. 

In the previous example, we computed the date of the supposed Moon-Uranus opposition. Here we perform the reverse computation.

Calculation of Secondary Progressed SSR for May 14, 1949

27h 27m 35s S.T. Noon May 14, 1949 plus 24h

- 4h 05m 23s S.T. Noon SSR plus acceleration

23h 22m 12s Difference

8h 20m

E.T. SSR 1948 p.m. May 23 (Chart 3a)

31h 42m

- 24h

7h 42m

Plus one day = May 24, 1948, Noon Ephemeris p.m.

Day and Time of Secondary Progression (SSR) for above event:

Moon progression 25° Sagittarius 01'

Moon opposition Uranus

Uranus progression 24° Gemini 56' (orb 5')

Jupiter progression 26° Sagittarius 39'

Mercury progression 25° Gemini 56'

If we look at Raphael's Ephemeris, we find that Moon-Uranus conjunctions and oppositions are incorrectly marked with B (bad). Besides the two examples given here, there is plenty of evidence to show that Uranus is a neutral planet.

Computation of the Secondary Regressed SSR Time for Event

32h 20m E.T. SSR 1948 plus 24h

- 23h 22m Difference above, achieved by progressions.

8h 58m E.T. p.m. 1948 May 22

Day and Time of Secondary Regression (SSR) For Above Event

A glance at the Ephemeris shows that there might be a close opposition of Sun regressed and Moon regressed on the Ascendant-Descendant of our SSR 1948. The exact computation for May 22, 8h 58m, p.m. gives:

Ascendant SSR 1° Sagittarius 49' (not directed; Chart 3a, p 20)

Sun regressed 1° Gemini 38' conjunct Descendant SSR 1948 (chart 3a) orb 11'

?? Moon regressed 29° Scorpio 46' conjunct Ascendant SSR 1948 and RAIC radical

A Full Moon close to an angle in a SSR, achieved by progression or regression, emphasizes the outcome and importance of an event.

From 1900 onward, the maturation of this kind of planetary effect is given in the Aspectarian of Raphael's Ephemeris. It is, however, advisable to compute the figures as a check.

Another event in Fagan's life which shows a typical Moon progression to two progressed planets in the SSR for 1956 is his resignation: 1956, October 26.

He resigned from the Civil Service to spend all his time on astrological research.

SSR 1956, May 23, 21h 34m, U.T.

14h 19m S.T. (Noon) October 26, 1956

4h 06m S.T. SSR 1956

10h 13m

21h 34m Time of SSR, 1956

31h 47m

- 24h

7h 47m, May 24, 1956 progressions for October 26, 1956


The following progressed planetary positions (from the SSR 1956 symbolize both the natives sadness (Saturn) and expectations (trine Uranus).

Moon progressed 29° Scorpio 30'

Saturn progressed 29° Scorpio 15'


Uranus progressed 29° Cancer 14'

Prenatal SLR



1852, Dec. 3-5h 30m UT
for 1895, Sept. 16

Prenatal Demi-SLR



1852, Nov. 18-12h 13m UT
for 1895, Sept. 29

INTERPRETATION OF PROGRESSED/REGRESSED MOON CONJUNCTIONS AND OPPOSITIONS

MOON/SUN

self-confidence,
energy
ambition
honors

Neutral aspect tending to self-confident starts, good business settlements if supported by benevolent or neutral planets. Also marriage. With the assistance of Jupiter, promotions and awards. With Saturn, events such as resignations.

MOON/MERCURY

intellect
productions
in speech and
writing,
communication

Neutral aspect, producing speeches, writing, and always benevolent if with Jupiter. With Uranus, sometimes too impulsive. With Neptune, criticism, scandal.

MOON/VENUS

enjoyment
love
desire to
associate with others

Benevolent aspect. For a man, the tendency to fall in love. To enjoy life. With Jupiter, sometimes property will be gained. Saturn with this combination denies wishes, either by the native's restriction or through others.

MOON/MARS

anger
irascibility
boastfulness

Mostly unfavorable. Loss of temper, leading to harmful events if supported by other planets. With Jupiter, benevolent. With Saturn, evil. Unlike Pluto, the brawls of Mars are soon over.

MOON/JUPITER

optimism
expansion
full satisfaction
and realization

Benevolent throughout. Major events characterized by an assistant planet.

MOON/SATURN

pessimism
fear
restriction
lack of self confidence

Very unfavorable; dismissal, resignation, etc. Loss of relatives, friends, mourning, sorrow.

MOON/URANUS

surprise
thrill
lucky chance
lucky accident

Neutral. Benevolent with Jupiter. With Venus, sudden gains. Unfavorable if joined by Mars alone. (accidents). With Saturn and/or Neptune, the sudden appearance of all sorts of serious and long lasting troubles.

MOON/NEPTUNE

fantasy
confusion
fiction
humiliation
seduction

Mainly unfortunate. Neptune is a true malefic in all matters which deal with reality. Neptune is the opponent of Uranus. With Mars or Venus, to be found in sex scandals, probably because of Neptune's humiliating (mortifying) character.

MOON/PLUTO

shock
end of old with
new beginning
recklessness

Mainly unfavorable. Without the interference of other planets, immense shock, with Jupiter, gains without own efforts. (Inheritances, legacies). With Saturn, unfortunate changes, loss of friends or relatives.

To understand and evaluate all combinations which occur, we must realize that the Moon in these aspects represents the psyche of the

native, being a kind of catalyzer. It is no wonder therefore, that events of importance only occur when additional planets are involved. The combined effect can therefore only be judged by the planets involved exclusive of the Moon. However, events of the nature of the Moon may be expected when it is in conjunction with an angle of the SSR or of the radix. To judge this beforehand is, of course, difficult.

EXAMPLE:

SSR Moon conjunction SSR Ascendant
Moon progressed opposition Sun progressed (SSR)
Sun progressed close to Venus progressed

The event was the marriage of a male person.

Almost without exception, Conjunctions and Oppositions of the progressed/regressed SSR Moon to progressed/regressed planets of the SSR produce events, the strength of which, of course, depends on other astrological indications. The following *progressions and regressions of SSR planets to factors of the radix* are not dominant, but, as our following examples will show, are very often involved in major events and speak for themselves by:

- (a) very small orbs and
- (b) an undoubtedly pure symbolism

These directions are a verification of an accurate rectification, and astrologers should use them in their own radices as well as in radices where sufficient major events are known.

To determine whether these directions will occur in a solar, one must find the Sun's position in the ephemeris and see if there are planets aspecting radical factors, and if these mature within twenty four hours of Ephemeris Time. (One day equals one year in secondary measure).

This analysis must be performed with both the current and prenatal SSR. Another important advantage is that these directions are also computable if the place of residence for the date and time of the SSR is not known; in other words, for the computation of SSR radix progressions and regressions, it is only necessary to compute the E.T. of the SSR and establish the Sidereal Time. (S.T.)

All aspects of traditional directional astrology are valid when


(Chart 5)

Parallels of Declination are also valid, but they mature within 1' of arc and are therefore difficult to handle. Around zero Cancer and Capricorn, declination does not change much, even if computed accurately. The same applies to parallels of transits and directions, where especially for Cancer, Capricorn, Gemini, Sagittarius, these must be very exact.

EXAMPLE: *Radix Queen Elizabeth II as rectified by Nelson Page*

(Chart 5)

QUEEN ELIZABETH II



1926, April 21-1h13m12s ET
London: 51°N 31.6; -0m 30.7s W

EVENT: *Birth of Sister, August 21, 1930*

Sun radical	0° 11' 14"	Taurus	V.P. radical	6° 17' 37"
	+ 3' 28"		V.P. SSR	6° 14' 09"
Sun SSR	0° 14' 42"	Taurus	precession	3' 28"

SSR 1930, April 21, 2h 08m a.m. E.T.

S.T. event (Noon taken)	9h 56m 20s	
S.T. SSR	1h 53m 44s	(S.T. Noon plus accel- eration for 9h 56m)
Difference	8h 02m 36s	
Time of SSR	14h 08m (Noon Ephemeris)	14h 08m
plus	8h 03m	minus 8h 03m
prog. time	22h 11m	(regressed time) 6h 05m

Date and Time for Progression, April 21, 1930; 10h 11m a.m. E.T.

Date and Time for Regression, April 20, 1930; 6h 05m p.m. E.T.

A glance at the Ephemeris shows that Venus, if progressed, should be close to I.C. radical.

progressed time	22h 11m	diurnal log .03419
1° 14' Venus' motion in 24h		diurnal log 1.28913
1° 08' Venus' motion in 22h 09m		diurnal log 1.32332

Venus Noon April 20 Taurus 17° 43'
plus 1° 08'

Venus SSR progressed Taurus 18° 51'

I.C. radix Taurus 18° 53' Venus SSR progressed
conjunct I.C. radical
(orb 2') Birth of sister.

In the same manner, the prenatal SSR should be analyzed.

The following computations may help the reader understand the procedure for prenatal charts. This computation may also be used for the above demonstrated progressions (or regressions) to progressions or regressions in the prenatal SSR.

SSR	1930	Vernal Point radical	6° 17' 36"
birth	<u>1926</u>	V.P. 1922, April 21	<u>6° 20' 39"</u>
subtract	4	Difference	3' 03"

SSR prenatal 1922:

Sun radical	0° 11' 14"	Taurus
- precession	<u>3' 03"</u>	(in prenatal charts, precession is subtracted)

SUN: SSR prenatal 0° 08' 11" Taurus

SSR prenatal (for 1930) April 21, 1922, 0h 50m E.T. (a.m.)

The difference for the progression time in S.T. may be used in the prenatal charts too, of course, only for the same events analyzed.

We get:

0h 50m (12h 51m Noon Ephemeris)	0h 50m
+ <u>8h 03m</u>	<u>- 8h 03m</u>

8h 53m 16h 47m

Date and time for progression April 21, 1922, 8h 53m E.T.

Date and time for regression April 20, 1922, 16h 47m E.T.

Jupiter progression 11° Libra 55' sextile

Moon radical 11° Leo 54'

FURTHER EXAMPLES WITH EVENTS IN THE QUEEN'S LIFE

CORONATION OF PARENTS, May 12, 1937

SSR prenatal 1915 (for 1937) April 21, 5h 30m E.T.

X → Moon regression 13° Cancer 16' conjunction

Descendant radical 13° Cancer 23' (orb 7')

PARENTS RETURN FROM CANADA, June 22, 1939

SSR 1939, April 21, 9h 07m E.T.

X → Moon regression 18° Taurus 43' conjunction I.C. radical 18° Taurus 53'

CONFIRMED IN ANGLICAN CHURCH, March 28, 1942

SSR prenatal 1911 (for 1941) April 21, 5h 06m E.T.

Neptune regression 18° Cancer 53' trine M.C. radical 18° Scorpio 53'

ENGAGEMENT, July 9, 1947

SSR 1947, April 21, 10h 29m E.T.

Mars progression 7° Aries 31' semisquare Jupiter radical 22° Aquarius 30'

Mercury regression 7° Aries 24' semisquare Jupiter radical 22° Aquarius 30'

SSR prenatal 1905 (for 1947) April 20, 16h 11m E.T.

→ Moon progression 18° Scorpio 51' conjunct M.C. radical 18° Scorpio 53'

BIRTH OF PRINCE CHARLES, November 14, 1948

SSR prenatal 1904 (for 1948) April 20, 9h 51 E.T.

Jupiter regression 11° Aries 57' trine Moon radical 11° Leo 54'

Mercury progression 20° Taurus 25' sextile Node radical 20° Cancer 27'

BIRTH OF DAUGHTER ANNE, August 15, 1950

SSR 1950, April 21, 4h 56m E.T.

Mercury progression 20° Taurus 47' square Mars radical 20° Aquarius 51' ✓

→ Moon regression 8° Gemini 36' conjunct 5th House Cusp 8° Gemini 32' ↑

SSR prenatal 1902 (for 1950) April 20, 21h 36m E.T.

Merc. Prog. 20° Aries 51' sextile Mars radical 20° Aquarius 51'

→ X ✓ Moon regression 4° Libra 40' opposition Mercury radical 4° Aries 40' ✗

✓ Venus regression 13° Pisces 28' sextile ASC radical 13° Capricorn 28' ✗

DEATH OF FATHER, ELIZABETH I BECOMES QUEEN

February 6, 1952

SSR 1951, April 21, 11h 08m E.T.

X Moon regression 13° Libra 19' square ASC radical 13° Capricorn 23'

Jupiter progression 0° Aries 08' semisextile Sun rad 0° Taurus 11'

SSR prenatal 1901 (for 1951) April 20, 15h 25m E.T.

Mars regression 24° Leo 27' square Saturn radical 24° Scorpio 27'

Uranus (progressed or regressed) Declination 22°S 46'

ASC radical Declination 22°S 46'

According to the planets appearing in these directions, some evidence is found for the rulership of planets in the tropical zodiac and for the importance of the planet's radical house positions. For example, Mercury is the ruler of the natal 5th house. Mars rules the M.C. and the Moon in the 7th rules the 7th house because Cancer is on the cusp.

→ The most evident directions of this sort, as our examples have shown, are conjunctions of the progressed/regressed SSR Moon to angles of the radix. Here, out of dozens of examples with primary directions, evidence is given for the masterly and unequalled skill in rectification at that time (1963) of A.P. Nelson Page. He proved that Queen Elizabeth II was born almost one-half hour earlier than the stated official birthtime. (Cesarean operation). The author confirms this rectification with over 100 cyclic charts by the closeness to angles of the appropriate planets.

Another example of combined SSR planetary aspects to the radix is that of G. Marconi:

EVENT: FIRST WIRELESS SIGNAL ACROSS THE CHANNEL, May 5, 1899

SSR April 25, 1899, 17h 28m U.T.

Sun progression 5° Taurus 18' (SSR)

Jupiter progression 5° Scorpio 20' (SSR)

ASC 5° Cancer 18' (Radix) (Page 25)

LUNAR RETURNS:

Use and Interpretation

Tradition teaches that Solar and Lunar Returns must be computed for the place of residence. This rule has been supported by the findings of Cyril Fagan, whose precessional cyclic charts play a valuable part in modern astrology. Nevertheless, the rule has been questioned lately, and attempts have been made to show that in reality precessional lunars are effective if computed for the birthplace.

Sidereal lunar returns and their complementary converses, as well as Sidereal Natal Quotidian Lunars based on the secondary progressed Moon (both to be dealt with below) are short lasting cycles (27 days) and are closely connected with the Transit and Prenatal Transit System.

These lunars are not, as has been widely assumed, the direct indicators of events, but show the psychological conditions the native undergoes during the period in question. Besides this, planetary factors in these charts are not necessarily linked to the radical map. That is to say, the interpretation of precessional lunar returns is based on the pure symbolism of luminaries and planets at the actual time of the figure. As in all cyclic charts, most attention must be given to factors which are close to the angles. A considerable psychological impact, positive or negative, may be expected if the two pairs of lunar returns given below, or at least one of each group, have the same planets on the angles. The two pairs of precessional lunars are:

- (a) *The Sidereal Lunar Return and its Prenatal (Converse)*
- (b) *The Natal Quotidian Lunar and its Prenatal (Converse)*

As with solar returns, both pairs must be computed for the place of residence, but their effectiveness is often largely diminished if the native changes his place of residence during the period of the cycle in question. It has been found in many cases that re-computation for the new place of residence gives more significant results.

In all cases where the place of residence has been changed during a cycle, it is advisable to rely on the corresponding demi-cycles, computed for the radical (or progressed and regressed) opposition of the Moon. This rule also applies for Sidereal Solar Returns.

→ So much for the significance of the place of residence in solar and lunar returns. Nevertheless, the observation of some astrologers that SLR's computed for the birthplace have astrological significance cannot be overlooked. According to the writer's very extensive and careful analysis, the two pairs of lunars mentioned above do show the characteristics of an event if computed for the birthplace in very exceptional cases, i.e. occasionally for major events of individuals.

EXAMPLE

A woman whose marriage happened to fall in an SLR cycle with immense psychological tension had Mercury, Mars, Uranus and Saturn on the angles of the SLR's computed for the place of residence. The same pair of charts computed for the birthplace showed Jupiter (twice), Sun and Mars close to the angles. In fact, the marriage happened to be a happy one, and was, of course, of decisive importance to the native's entire life. This might sound very promising for birthplace SLR's. However, upon going deeper into the matter, we soon find that these occasional reflections of lunar planets on corresponding birthplace coordinates in cases of major events are seldom of much practical or theoretical value. As hundreds of SLR's occur in an average life, very many of these charts computed for the birthplace will have strong astrological characteristics without, however, coinciding with events or psychological conditions of the appropriate kind.

It can therefore be said that:

- a) Sidereal solar and lunar returns must be computed for the place of residence.
- b) The effectiveness of these cyclic charts diminishes if the place of residence has been changed during and especially at the beginning of the cycle.
- c) The best interpretation so far of sidereal lunar returns, using the pure symbolism of the factors, lies on the psychological side.

While cyclic charts of individuals who remain during their entire lives at their birthplaces do not raise any of these problems, it is worthwhile for the truth of these statements to analyze not only radices where the place of birth and the place of residence differ considerably, but also cases where the difference is small. In these cases it becomes obvious how exactly the characteristic planets fall on angles of maps calculated for the place of residence, i.e. in cases where a strong psychological effect coincides with corresponding events.

To understand the full importance of cyclic charts in psychological terms, it is advisable to work on the maps of relatives and close friends with authenticated birth times.

THE SIDEREAL LUNAR RETURN

As distinct from solar returns, which are effective in the tropical as well as sidereal manner, the lunar return is not truly significant unless allowance is made for the amount of precession which has taken place since birth.

As an example we give computations of direct and converse Sidereal Lunar Returns (SLR's) demonstrated on the radix of Queen Elizabeth II, (Chart 5, Page 34).

EVENT: Birth of Prince Charles, November 14, 1948

TABLE FOR PRECESSION

Years'	Years'	Years'	Years'
1. 0.8	6. 5.0	20. 16.7	70. 58.5
2. 1.7	7. 5.9	30. 25.1	80. 1° 06.9
3. 2.5	8. 6.7	40. 33.4	90. 1° 15.2'
4. 3.3	9. 7.5	50. 41.8	100. 1° 23.6'
5. 4.2	10. 8.4	60. 50.2*	

BIRTH EVENT: Years elapsed 22½; using tables above:

$$\begin{aligned}
 20 \text{ yr.} &= 16.7' \\
 2 \text{ yr.} &= 1.7' \\
 \frac{1}{2} \text{ yr.} &= 0.4' \\
 \hline
 \end{aligned}$$

18.8' = precession for 22.5 yrs.

Moon radical
Plus precession

$$\begin{array}{r}
 11^{\circ} \text{ Leo } 54' \\
 \underline{19'} \\
 11^{\circ} \text{ Leo } 13'
 \end{array}$$

Moon precessed

$$12^{\circ} \text{ Leo } 13'$$

The appropriate SLR for the event is October 26, 1948.

Moon radical precession	12°	Leo	13'	diurnal logs
Moon 0h E.T.	8°	Leo	04'	
<hr/>				
Difference	4°		09'	76216
<hr/>				
Motion in 24 hour	14°		13'	22741
<hr/>				
E.T. for SLR	7h	00m		53475
		1m	09s	(Accel. for 7 hr.)
	2h	17m	06s	(S.T. Green-
				wich mid).
	9h	18m	15s	
		—	28s	London West
				Long.
	9h	17m	47s	RAMC London
				= 9h 18m

ANGLES AND SIGNIFICANT PLANETS:

MC 17° Leo; Moon 12° Leo 13'

ASC 5° Scorpio; Sun 2° Scorpio 46'; Mean Node 4° Taurus 57'

THE PRENATAL (CONVERSE) SIDEREAL LUNAR RETURN

is complementary to the foregoing direct return and should not be neglected for reasons explained above regarding the general significance of converse charts in the Transit System.


COMPUTATION OF THE PRENATAL DATE OF THE PRENATAL SLR USING TABLE 1, DAY—NUMBERS.

SLR as computed above 1948, Oct. 26 54355 (Oct. 1948 54329 + 26
radix 1926, Apr. 21 46131 (April 1926 + 21)

Difference (subtract again) 08224

1903, Oct. 15 37907 (1903, Oct. 0 = 37892)

Prenatal SLR



1903, Oct. 15-9h 32m UT

Due to the irregular apparent motion of the Moon, the date for the Prenatal SLR will always be found within three days of the computed exact prenatal transit date.

A glance at the Ephemeris shows: Prenatal SSR Oct. 15, 1903

Moon radical	11° Leo 54'
Precession	<u> 19'</u>
	11° Leo 35'

Moon Noon Oct. 15, 1903 28° Cancer 48' (Computation of the SLR time as before)

PRENATAL SLR FOR EVENT ABOVE: Oct. 15, 1903 9h 32m

RAMC London 11h 02m (Chart 5a)(above)


ANGLES AND SIGNIFICANT PLANETS

Both benefics, Venus and Jupiter on the MC – IC axis. (Please see chapter on computation of mundane planetary positions).

Venus conjunct MC mundane orb 17'

Jupiter conjunct IC mundane orb 40'

NQ Lunar



1948, Oct. 21-19h 35m ET

THE NATAL QUOTIDIAN LUNAR

The NQL is a lunar based on the progressed/regressed secondary Moons after allowance has been made for precession. There is, however, disagreement among astrologers as to which measurement should be applied, since Cyril Fagan has maintained that the traditional computation of secondary progressions, taking one common day of twenty-four hours for one year, is not quite correct.

One day of twenty-four hours measured in Universal Time is in fact one year (orbit of the Sun) plus one day. To eliminate this remainder, Fagan subtracts 3m 55.9s per day, calling this the BIJA. His correction is astronomically correct, and gains full proof if regard is paid to the annual progression of the angles, a method called the Natal Quotidian. As explained above, the writer does not use any of the rapidly moving angular directions, neither in the radix or in the progressed horoscope. But in regard to the Natal Quotidian and the Natal Quotidian Lunar, there is no doubt that the reduction of 3m 55.9s per secondary day makes N.Q's and N.Q. Lunars fully valid.

However, extensive research into the workings of secondary directions gave proof that the traditional method of computing secondary directions, that is, one common day corresponds to one year of life (without any reduction) gives closer orbs than Fagan's method with the BIJA subtraction.

EXAMPLE: *N. Q. L. Direct and Converse (Prenatal) of Queen Elizabeth II for the Birth of Prince Charles.*

PROCEDURE:

(a) We establish the approximate position of the progressed Moon by adding 22.5 days to the day and time of the radix. (She was approximately 22.5 years old, and in progressions one day equals one year).

April 21, 1926, UT = 1h 12m plus 22.5 days = May 13, Noon
Moon = 11° 14' Gemini

The progressed Moon to be computed for:

1926, May 13, 11h 50m U.T. gives Moon:
progressed 11° Gemini 09'
precession + 19' (as above)

11° Gemini 28'

This follows the usual computation of the lunar return for the already stated October 21, as demonstrated in the example with the SLR.

It gives: Direct N.Q.L. for birth of Prince Charles

1948, October 21
RAMC LONDON

19h 35m E.T.
21h 35m CHART 5b (Page 46)

It seems more appropriate to compute any lunar return before 1960 in U.T. (See Appendix). Of course in our case, a simplified approximation, a few seconds of time do not matter. Solars from 1900 onwards, and Lunars from 1960, should be classified (according to the tabular values of the Ephemerides) as in E.T.

ANGLES AND SIGNIFICANT PLANETS

MC = 21° Aquarius 22' (conjunct Mars and Jupiter radical)

ASC = 26° Gemini; Jupiter 25° Sagittarius 21'; Uranus 0° Cancer 29'

THE PRENATAL (CONVERSE) NATAL QUOTIDIAN LUNAR

The computation of this chart is quite simple as it is based on figures already obtained.

110d 13h 12m 41s (as above)
- 22d 10h 37m 30s (as above)

88d 2h 35m p.m. March 29, 1926

which gives:

(b) We look up the corresponding Moon position in the Ephemeris before the event: October 21, 1948, Moon = 7° 22' Gemini.

(c) We compute day and time of the progressions by Fagan's useful method for computing Natal Quotidians.

1948	13h 59m	(S.T. Noon, October 21)
1926	1h 53m	(S.T. at birth)
22 years	12h 06m	<u>uncorrected age</u>
	1h 28m 29s	(BIJA subtracted-see below)
22 days	10h 37m 31s	<u>corrected age</u>
Add 110 days	13h 12m 41s	(birth time Noon Ephemeris)
132 days	23h 50m	(May 12, 1926 Noon Ephemeris)

The following table may be used for calculating the BIJA:

<u>Yrs. m s</u>	<u>Yrs. h m s</u>
1 3 56	20 1 18 38
2 7 52	30 1 57 57
3 11 48	40 2 37 16
4 15 44	50 3 16 36
5 19 40	60 3 55 55
6 23 36	70 4 35 14
7 27 31	80 5 14 33
8 31 27	90 5 53 52
9 35 23	100 6 33 11
10 39 19	

1h	=10s
2h	=20s
3h	=30s
4h	=40s
5h	=49s
6h	=59s
6m	=01s
12m	= 2s
24m	= 4s

CALCULATION OF BIJA (EXAMPLE ABOVE)

20 years	=	1h 18m 38s	
2 years	=	7m 52s	
12 hours	=	1m 58s	
6 minutes	=	1s	
		1h 28m 29s	= BIJA for 22 years 12h 06m

Moon regressed	10° Libra	17'
precession	—	19'
	9° Libra	58'

From the computation of the SLR we know that:

the direct SLR October 26, 1948 corresponds to the converse SLR October 15, 1903; consequently the direct N.Q.L. October 21, 1948 corresponds to the prenatal (converse) N.Q.L. at about PLUS five days; i.e. October 20, 1903 approximately. In fact, the N.Q.L. (converse) happens to be at 1903, October 19, 11h 46m U.T. RAMC LONDON 13h 33m.

ANGLES AND SIGNIFICANT PLANETS:

MC	25° Libra
Sun	24° Libra 55'
ASC	21° Sagittarius
Uranus	22° Sagittarius 37'
Mars	19° Sagittarius 07'

As both pairs of lunars (SLR and NQL) are more distant from the event than fourteen days, it is advisable to analyze the corresponding Demi-SLR's and Demi-NQL's. Most significant for the event are:

(a) The Demi-NQL November 3, 1948, 15h 03m U.T.

MC	29° Sagittarius	78° 17'
Jupiter	27° Sagittarius	30' 40"
Uranus	0° Cancer	14'
ASC	25° 27° Pisces	30'
Venus	23° Libra	49'

(b) The Prenatal (Converse) Demi-NQL October 6, 1903 10h 22m U.T.

MC	14° 18° Virgo	22'
Venus	15° 16° Virgo	42'
Jupiter	15° Pisces	20'

Experience shows that, although these kinds of lunars reproduce the native's psychological condition during these cycles *an event is very likely to happen if:*

(a) Both pairs of lunars show the same tendencies without the angles being touched by contradictory factors. In our case, four pairs of lunars (full and demi's) show powerful angular positions: Jupiter (four times) Uranus (three) Sun (two) Venus (two) without Saturn appearing at any important place. (Needless to say, especially for a birth, Mars and Uranus are always benevolent in combination with Jupiter).

(b) When the conditions under (a) have been satisfied, the closeness of the planets to the angles is always decisive for the outcome of an event. Of course this can only be of use if the Moon's positions, especially for the NQI's, and the times of the lunars are corrected, as demonstrated in the appendix.

The time interval for a possible event can be narrowed down (from 27 days). The parallel line is the period where both pairs of lunars are effective. (Please see "Astrological Forecast", Overlap method).

If similar and strong indications are followed in the Demi's, the event is very likely to fall in the parallel line of the Demi's, i.e. a time period of a few days.

As demonstrated, lunars are most effective if prenats are also taken into consideration. Of very little use, however, are all kinds of lunars (radical and progressed) which are derived from the Moon of the Sidereal Solar Return. Experience shows these maps are much too remote. How difficult it is to read a solar return! Of what use, then could a derivative of it be?

LUNATIONS AND ECLIPSES

These charts have often been overrated or misused. There should be no doubt that the most effective astrological systems are those which are closely connected with the radices of individuals. As the occurrence of events is dependent upon the impact of these individual astrological factors it is therefore illogical to ascribe to mundane phenomena of this kind much importance.

It does not take much time to decide whether or not a Luration or Eclipse is of significance for the radices analyzed, as effectiveness of these charts depends on the ecliptical positions which they occupy in a radix. They are of value in the following order of efficacy:

Conjunction of the Luration or Eclipse with:

- (a) One of the angles
- (b) One of the Luminaries
- (c) One of the planets

Orbs should not exceed one degree. The chart itself must be judged in the same way as an ordinary cyclic chart, provided that the points (a) to (c) are satisfied. Rational thinking as well as careful observation lead to the conclusion that Lunations and Eclipses should only be taken as links for possible events. In other words, these mundane charts do not directly indicate the precise circumstances of happenings, but at their best indicate whether a benevolent or evil event can be expected. As many of these indications are neutral, such as Lunations or Eclipses on angles or conjunct neutral planets, it is quite difficult to evaluate the other indications of the Luration or Eclipse. It is true that Lunations which happen to be within a few days of events (period New Moon to Full Moon= 14 days) may reflect the event by characteristic planets in aspect to the radix, but obviously these aspects would be much more convincing in quality and quantity by using the more individual cyclic charts.



Considered by analogy and carefully tested, the converse (prenatal) Lunations and Eclipses of the Prenatal Transit System are also valid, to the same extent as the prenats of other cyclic charts.

Lunations and Eclipses are much more significant in connection with events of world wide importance, especially in radices of rulers of State. (Please see examples below).

Doubts existed as to whether Lunations and Eclipses should be computed with coordinates of the birthplace or the place of residence. With events of worldwide importance (as the Eclipses of President Kennedy's assassination show), both the map for the place of happening (mundane) as well as for the place of birth are valid. Analysis of horoscopes of relatives and friends assured the writer that Lunations and Eclipses of average people should be computed for the birthplace. For Lunations (New Moon = conjunction, Full Moon = opposition) the New Moon has to be regarded as the main chart, and the writer recommends that one ignore most of tradition and check only the ecliptical position of the Lunation or Eclipse, that is, whether there is a conjunction of the Lunation itself with factors of the radix analyzed. The Conjunctions must satisfy points (a), (b) or (c) as noted above.

Conjunctions of this kind increase the possibilities of an event happening if appropriate Primary Directions are maturing at the same time.

12.23 The writer's highly dangerous illness in December 1973 (cancer of the vocal cords) shown by the Primary Direction ASC converse conjunction Pluto radical in 4° Cancer $39'$ (tropical) was indicated by an Eclipse of the Sun conjunction Pluto radical, and, of course, conjunction this direction. (Eclipse 1973, December 24, 15h 08m U.T.) Saturn transiting semisquare ASC radical and Pluto transiting semisquare Saturn radical at the time of the Eclipse are tempting, but rather misleading, as the current Lunars reflect these and other aspects with smaller orbs, as do the transits. We further observe in this example that the eclipse occurred six days later than the actual illness was detected, but within three days of the primary direction ASC converse conjunction Pluto radical.

This is nothing unusual. New Moons, Full Moons and Eclipses seem to animate primary directions if the latter fall within the time period covered by the cycles. According to the short duration of a Full Moon (not Eclipse) 14 days, the primary directions in refined rectifications and computations, if reflecting events, coincide with effective Sun-Moon cycles within an orb of $1'$ of arc equals 6 days.

This very important collaboration between Sun-Moon cycles (using only the ecliptical position for their conjunctions with radix factors) and primary directions promise concrete and easy proofs which are most useful. These overshadow all uncertain speculations with other details of the chart. These may be analyzed to a very limited extent in world wide events in connection with radices of rulers of State, as will be demonstrated with the following examples.

COMPUTATION

Raphael's Ephemerides give New and Full Moons to seconds in E.T. (1937-59). In those cases where the Lunation takes place in the vicinity of the Mean Node and the latitude of the Moon is small, it is very likely that we have to deal with an eclipse. Raphael's Ephemerides give indications of eclipses in the Aspectarian. Compute the Moon position of the Lunation or eclipse to one minute of arc, which, of course, is conjunction or opposition the Sun, and compare with the factors of the radix. (Angles, Luminaries, planets).

EXAMPLES

1. RADIX QUEEN ELIZABETH II, Chart 5, Page 34

EVENT: Death of father; she became Queen February 6, 1952

Partial Lunar Eclipse February 11, 0h 28m 03s E.T. The eclipse is conjunct radical Mars and Jupiter. Angles and significant planets:

MC (London)	24° Leo	30'	(Chart 5c)
Sun	21° Aquarius	14'	(Page 56)
Moon	21° Leo	14'	
Pluto	20° Leo	20'	
ASC	9° Scorpio	51'	
Mars	9° Scorpio	14'	


2. RADIX J. F. KENNEDY, Chart 1 Page 5

EVENT: Assassination, November 22, 1963


(a) Total Solar Eclipse, July 20, 1963, 20h 43m 16s E.T. Sun and Moon 27° Cancer 24' conjunct Saturn radical 27° Cancer 10' (Chart 1b) (Page 6)

RADIX:QUEEN ELIZABETH II
Partial Lunar Eclipse

Feb. 11, 1952 ~ 0h 28m 03s ET
London



♂ RADICAL 200005
✶ RADICAL 2200030



RADIX: West Berlin

July 12, 1945 - 05h 58m 25s ET
(rectified)

(b) Chart (a) computed for Dallas (Place of event). The Mundane (not radical) significance of the event: Uranus, Pluto Regulus on MC (29° Leo $45'$)

3. *ANNUAL SOLAR ECLIPSE August 11, 1961, 10h 36m 17s E.T. (chart 6a) Page 58*

EVENT: Construction of the "Berlin Wall", August 13, 1961

Solar Eclipse within one and a half degrees of ASC radix. MC eclipse conjunct Pluto radix West Berlin.

4. *[PRENATAL SOLAR ECLIPSE] August 12, 1942, 2h 27m 37s E.T. Radix West Berlin (Chart 6b) Page 58*

EVENT: The Blockade of Berlin, June 21, 1948

Solar Eclipse within one and a half degrees of ASC radical. (A striking similarity between 3 and 4). Pluto eclipse conjunct ASC eclipse.

5. *ANNULAR SOLAR ECLIPSE, January 14, 1945, 5h 06m 29s E.T. (not reproduced)*

For Hiroshima: 32° N $40'$; 8h 50m East

EVENT: Dropping of the Atom Bomb, August 5, 1945

Antares, Uranus, Aldebaran conjunction/opposition ASC/DESC; Mars in opposition to Saturn. The aspects of the eclipse chart are very close throughout.


Only the conjunctions of Lunations and Eclipses with factors of the radix should be considered. Radices of rulers of State as well as reliable radices of States should be analyzed both for the birth-place and also for the place of the event. (Examples 2a, 2b). Example 5 shows a chart of purely mundane character associated with the place of the event.

Lunations and Full Moons have a duration corresponding to the time they cover (14 days and 28 days respectively) while Eclipses (especially Solar Eclipses) can have an effectiveness of over half a year.

RADIX: West Berlin Solar Eclipse

ASC. RADICAL 30.12
E. RADICAL 9.15

Aug. 11, 1961-10h 36m 17s ET




Radix: West Berlin Prenatal Solar Eclipse

ASC. RADICAL 4.45

ASC. RADICAL 15.05

ASC. RADICAL 20.12



August 12, 1942, 2h 27m 37s ET

GENERAL RULES FOR CYCLES AND TRANSITS

The writer has limited the number of cycles in the Transit System to the most effective ones. This does not mean that the other cycles of the Transit System which the writer has demonstrated in SPICA, (London, 1961-1974) are not effective. However, experience shows that for practical work we should concentrate on the most reliable maps. Perhaps it would be useful to mention the SOLUNAR, a cycle based on the radical distance of Sun and Moon in ecliptic. Each time the Sun and Moon (by both transit and prenatal transit) regain the zodiacal distance to each other that they held in the radix, a new individual cycle begins. In an astronomical sense we are here dealing with the synodal circuit of the Moon which in a non-individual form has been demonstrated with Lunations and Eclipses. This individual synodic Moon cycle, the SOLUNAR, will be demonstrated in connection with Directional Cycles in another Volume.

While full cycles (conjunctions) and Demi-cycles (oppositions) are valid both in Sidereal Solars and Sidereal Lunars, there may arise some doubts about the Quarter-cycles based on both square positions. In contrast to Directional cycles, which because of their long duration act slightly different, it is recommended not to use the Quarter-cycles of the Transit System except the Quarter SSR.

The monthly SSR cycles based on 30 degree aspects of the radical Sun are of no value, failing to give a desired impression. The writer has made very extensive tests with these charts, and has found that they are not effective in the usual sense of having characteristic planets on angles.

In sum: The SSR is valid for the entire year; demi-SSR's are each valid for one half year; quarti-SSR's are each valid for three months; monthly SSR's are invalid; demi-SLR's are each valid for two week periods.

Cycles of Planets are very effective if the planets involved have a dominant position in the radix. So far only tropical charts have been analyzed. It is necessary to be exact and compute the planets to 1" of arc. This is possible if the longitude of the planets (radix and cycles) have been computed from tabular values of the Astronomical Ephemeris. This takes a lot of time, as the values in RA and Declination must be transferred into longitude. Examples of this computation are intended for Volume II (*Directions and Their Cycles*).

Since among the slow planets only Jupiter, Saturn and sometimes Uranus reach their radical positions in a lifetime, the writer has concentrated his research mainly on (Mercury, Venus and Mars). There are other reasons which make the cycles of slow planets unsuitable for practical work. Because of their slow motion, it is very difficult to get charts of the necessary accuracy, particularly if Astronomical Ephemerides for years far back are required; these obviously do not have the necessary accuracy. On the other hand, the periods covered by Jupiter (12 years), Saturn (27 years), Uranus (84 years), are probably too long to be of any use for practical work. Here Demi's and Quarti's could be of some interest for research. Good results have been achieved with Demi's of the planets Mercury, Venus and Mars.

In President Nixon's radix (not reproduced), January 13, 1913, 5h 11m 05s E.T. rectified, Mercury radix $29^{\circ} 59' 22''$ Sagittarius gives a tropical return for December 28, 1973, 15h 05m 05s E.T. Computed for Washington, Neptune 8° Sagittarius $13'$ is conjunct MC 7° Sagittarius $50'$ (Scandal). The Demi-cycle for Mars' radix, $29^{\circ} 44' 10.9''$ Sagittarius, April 19, 1974, 21h 40m 37s E.T. (Washington), which is even nearer to President Nixon's fall (August-September 1974), has a disastrous combination of planets near the angles which also reflect his serious illness and an operation, around (September 15, 1974.)

MC = 7° Cancer

Mars = 29° Sagittarius $44' 10.9''$

Saturn = 0° Cancer $04'$

ASC = 6° Libra

Pluto = 4° Libra $49'$

Mercury = 14° Aries $07'$

THE RADIX HOROSCOPE

The conventional tropical method of interpreting a radix horoscope is given in various textbooks, which, whether written 50 years ago or issued today, are all of a suspicious uniformity. The writer has analyzed the rules and came to the disappointing conclusion that they are more or less copies of each other and therefore hardly the result of serious research.

It is not difficult to disprove many of the errors in logic which have become part of the principles of astrology since the time of the great astrologer JEAN BAPTISTE MORIN (1583-1656), who both in theory and practice achieved memorable results.

Morin interpreted a number of horoscopes very ably and this brought him into repute, giving him access to the most important people. He predicted "death on the scaffold" for Cinq Mars (Louis XII's favorite), the violent death of Gustavus Adolphus (killed in the battle of Luetzen), and the death of Cardinal Richelieu within 10 hours.

There are numerous other cases of his accurate predictions on record. One last may be mentioned: Louise Marie de Gonzague asked about her proposed marriage to a prince of the royal blood. Morin said that the union would not take place, as he had announced previously that she would marry a king. She later married the King of Poland (Wladislaus IV). She rewarded Morin with rich presents, and rewarded us by personally seeing to the publication of Morin's great work (*The Astrologia Gallica*) which took thirty years to complete. Morin was the first to individualize the celestial mundane positions of the horoscope through the chief points of the map, the MC, ASC and the Houses.

As the radix is purely of a static nature and cannot explain everything, even if the greatest theoretical skill is used, the author advises readers to interpret the destiny of nativities chiefly by the positions of planets in the houses and by aspects of planets to the MC and ASC, after the time of birth has been properly authenticated.

Aspects of planets to one another must be interpreted according to their symbolism, their analogy, and their meaning in their houses. Interpretation of planetary aspects without regard to their special position in the radix is one of the chief errors in all the traditional textbooks; these methods are very misleading to the student. Instead of cultivating the sense of synthesis, their unfortunate interpretation of aspects cuts the horoscope into meaningless pieces. The same applies to the exaggerated use of non-individual interplanetary halfsums in radix interpretation. These errors may be seen in the work of many professional astrologers.

The other error of the conventional textbooks is interpretation of radical planets by short, concise statements in accordance with their positions in the signs. This is even done for planets of slow motion, such as Uranus, Neptune and Pluto. This procedure assumes that all people in the world born within a period of years are characterized by a single interpretation. This might not have been the intention of the authors, but new and advanced readers can only evaluate things as they are written and published.

Regarding the tropical signs, it is amazing with how much optimism and self-confidence astrologers use the significance of tropical zodiac signs, basing their opinion on traditional belief, coincidences and illogical assumptions, and not on real scientific proof. The writer, a critical but confirmed follower of the Tropical Zodiac, can assure the reader that solid proof can best be obtained for it in the field of Primary and Secondary directions rather than in the static planetary positions of the radix.

The fact that Jean Baptiste Morin overrated the effectiveness of the tropical signs is not really an error but the result of his extensive work on prominent people such as Kings, Cardinals, etc. Indeed, strength, weakness and neutrality of planets in signs are of some importance in the radices of people of importance.

SIDEREAL RADIX INTERPRETATION

When Cyril Fagan, more than thirty years ago, rediscovered the astrological principles of the ancient Babylonians and Egyptians, he initiated a new period of astrological research which was enthusiastically followed by a considerable number of astrologers who were willing and prepared to break with tradition and to start again where research and practice seemed to have gone wrong. It is true that his cyclic charts, which eliminate precession, are a major astrological contribution in our century and a considerable help to practical astrology. *The Primer of Sidereal Astrology* issued by Cyril Fagan and Brigadier R. C. Firebrace is one of the best modern books written about astrological techniques and, in contrast to the methods of many tropical astrologers, the most useful in practical astrology.

The re-discovery of the Babylonian Zodiac, however, has up to now remained a great disappointment. We cannot expect that cyclic charts, which belong to the Transit System, can reveal to us all the secrets of the Babylonian Zodiac. Many Siderealists try to explain the character and psyche of a native by the sidereal zodiacal positions of the Sun and the Moon in the different constellations. All these characteristics must be categorically rejected, for they pretend to suggest that people born in a period of a month, through the centuries, have strong similarities in their characters. Needless to say, Tropicalists also commit the same error. Strong similarities between persons with the same Sun or Moon sign can only be expected when the Sun or Moon in each chart has a dominant position, either by angularity, an aspect to the MC or Ascendant, or a corresponding halfsum (midpoint), such as Moon/planet to the Ascendant.

LIMITATIONS

The fact that twins born within ten minutes of each other may be completely different in appearance and character and have different destinies is an evident handicap to radix interpretation. This once again proves the necessity of correct rectification, especially in carrying out research. The theory of the writer that the similarity between two people depends mainly on the fact that the two conceptions took place at the very same time, which has not yet been proven practically, is strengthened by the fact that identical twins, even when born at an interval of an hour or more, are always similar in appearance and character. Strong similarities are often found in the events of their lives.

Unfortunately all rules for determining the Conception Horoscope are unreliable, as are rectifications of radices derived from such hypothetical conception dates and times. The writer is presently investigating the radices of one pair of identical twins, born with a time difference of two hours. The conception date for these births is also known. How could two persons have so many similar events up to their fortieth year of life? Both married late, and both had two children, a boy and a girl. Needless to say, they were very similar in appearance and character. The problem is:

(a) How can one Conception Horoscope cover these two personalities? and consequently - - -

(b) How can we possibly apply the rule that the Ascendant or Descendant of the two different birth horoscopes should have the Moon position of the Conception horoscope and vice versa, particularly as in the case with two hours time difference the two Ascendants have differences of over 20 degrees and are even in different signs?

Other very interesting questions are:

How is it possible that these twins had similar destinies for many years of their lives, sometimes, as they revealed, having same thoughts and similar reactions, yet having cyclic charts of different characteristics? Yet, - - and this applies to many identical twins - - they frequently have very similar destinies and dies on the same day, even if residing in different countries with diametrically opposite positions on our globe.

Definitive answers to this puzzle have yet to be found.

DOMINANT AND MOST ESSENTIAL FACTORS IN RADIX INTERPRETATION

The most powerful feature is the Mundane Conjunction of a planet with one of the angles, that is, rising, setting (OA, OD) or conjoined with the MC or IC in RA.

In Adolf Hitler's radix, April 20, 1889, 17h 30m 16s U.T. at 48° N $15'$, 13° E $03'$ (not reproduced), Mercury is in very close mundane conjunction with the Descendant, as it sets within $22'$ of arc. This Mercury is in tropical Aries, and must be taken as the most powerful planet in relation to Hitler's talents, career and psychological reactions. Such oppositions to the Ascendant are as effective as conjunctions. His ability to make persuasive speeches, although in a demagogic manner, his own intolerant Arian approach in private life, as well as his public debates and political negotiations, follow Hitler in his whole career especially after 1919.

The Ascendant is usually the dominant indicator of character and habits in a radix, provided that it has no essential planetary aspects; here it characterizes Hitlers' natural tendencies (Ascendant in Libra) only in the unimportant periods of his life. It is well known that before he became active in the National Socialist Party (1919), Hitler showed neither ambition nor any remarkable activity. During World War I he is said to have been a disciplined soldier. His first thirty years of life are characteristic of an Ascendant which was not activated during this period.

In the radix of George V of Great Britain (not reproduced) another example of dominant mundane angularity can be seen (Jupiter RA = 265° $18'$, RAMC 265° $24'$). Here, Jupiter in Sagittarius, his domicile, one of the finest combinations anyone can have, is not only characteristic of his accession to the throne, but also had its effect on the King's character and personality, as well as on other details of his life.

Experience shows that rulers of State whose rulership has been of significance and of some duration have in general:

(a) Dominant planets in close mundane or ecliptical conjunction with an angle.

(b) Major Fixed Stars in close mundane or ecliptical conjunction with an angle or to one of the Luminaries.

In the radix of Queen Elizabeth, Chart 5, Sirius, a benevolent Fixed Star with a mainly Jupiterian character, is in conjunction with the Descendant with an orb of 20' of arc.

President Kennedy's important Fixed Star (Chart 1) is Pollux, of rather violent character, which is conjunct the MC. He was assassinated when Sun progressed was conjunct Pollux.

Hitler's Moon is conjunct Facies, a Fixed Star (Nebula) with the characteristics of Mars/Saturn, orb 12' of arc.

Besides the above mentioned mundane angular conjunctions of planets, any other mundane aspects in OA, OD, to angles or between radical planets are of similar but less dominating quality. All these mundane aspects, the computation of which will be explained in another volume in connection with directions, in their effect on the character and destiny should perhaps be called "individual aspects" as they depend on the birth time, i.e. the RAMC. They must be analyzed and evaluated before all other indications. For instance: Uranus in mundane radical angularity affects the life of the native in all its phases and colors, primarily in matters of the house this angle represents. It influences in accordance with its pure symbolism and also in connection with the aspects received from other radical or secondary progressed planets. Such an Uranus will be involved in various aspects of the life with its clearly unmistakable character and could also be related to the circumstances of the native's demise.

EVALUATION OF PLANETARY POSITIONS IN ECLIPTO

Planets without mundane aspects to other factors of the radix are to be interpreted in accordance with their house position, and to a minor degree from their aspects to other planets of the radix. The influence, that is, the effectiveness, of these "planets in the houses" is very difficult to judge in connection with the destiny of the native. Major events depend very much on all effective astrological factors which mature around the time of the event. For this reason, two or

three people born within a few days of each other have planets which may produce different results. At a time when he was an inexperienced astrologer the writer had three horoscopes with close birth dates and almost identical planetary house positions, and suggested that as one of them had died of lung cancer at an early age, that General de Gaulle, who was one of the three, would suffer a similar fate. It is quite clear why such a prognosis goes wrong in most cases.

Planets in certain houses signify characteristics which may or may not result in corresponding events. But there is never any determination of destiny, and this even applies for the mundane conjunctions of planets mentioned above. A radix is static, and dependent upon:

- (a) The influence of the environment,
- (b) Place of residence, and
- (c) On good fortune or temporary misfortune

Of dominant importance for the main fortunate and unfortunate or fatal events are maturing secondary directions, and these too, become a link in the chain when evaluating astrological effectiveness.

For reasons explained above, interplanetary aspects in a radix by themselves are absolutely non-individual and only show results if stimulated by several other static and dynamic factors. By static factors, we mean any elements (not directed) in the radix. Dynamic are all kinds of true (astronomically correct) directions, transits, and cyclic charts.

SUMMARY:

RADICAL FACTORS IN THE ORDER OF THEIR EFFICACY

*1. Quality and disposition of the ASC and MC
(Please see below)*

2. Mundane Aspects

(a) Mundane conjunctions and oppositions of one or more planets to angles.

(b) Mundane aspects of planets to angles. All aspects in 30° intervals as well as the semi-squares and sesqui-quadrates are valid.

(c) Interplanetary mundane aspects, mainly conjunctions, oppositions, squares and trines.

3. Ecliptical positions and aspects.

(a) Ecliptical conjunctions of planets to angles. These are superior to those of 2(c) when the conjunction is quite close.

(b) Ecliptical squares and, to a lesser extent, trines are important. Minor aspects are of some importance only if the orb is small. (Maximum orb about 1°).

(c) Ecliptical conjunction of planets to house cusps.

(d) House position of planets.

The realization of events according to the character of the house depends on many things (please see above) as well as on the number and quality of planets occupying the house and aspects receive. Here mundane aspects in OA, OD, have dominant effectiveness.

(e) Ecliptical positions of planets according to their house position, occupation of a tropical sign, and their secondary motion.

4. The Evaluation of interplanetary aspects in accordance with paragraphs 1 to 3.

The valid aspects are:

Conjunction

Opposition

Square

Trine

Semisquare /

Sesquiquadrate

Sextile

Quincunx. and

Semisextile

In addition, major Halfsums are also valid, when within a few minutes of arc.

Here restricted orbs are the best way to avoid fiction. Mid-points of planets to the Ascendant and MC are of great importance and well worth analyzing.

The significance of tropical signs is mainly evident with the Ascendant and MC. Signs as the background of planets are not as evident because of their lack of individuality. But the character and personality of an ordinary person can often be judged by planets affecting the Ascendant or MC by aspect or rulership.

Each planet has its significance in the radix according to its location; Sun and Moon affect the personality or psyche of a native by their relationship to these only in cases where the relationship is direct, that is, by aspects, midpoints or rulership of the Ascendant and in a lesser degree, the MC. Positions of planets and their mutual aspects may be nearly meaningless in one horoscope, whilst in another map of the same date, the same combination may be of vital importance.

To maintain the idea that people with a radical Sun-Venus conjunction always have certain characteristics is pure nonsense, and most misleading for the student of astrology. No one could seriously maintain that Queen Elizabeth II has a Taurean personality (Sun in tropical Taurus) or an Arian one (Sun in sidereal Aries). Even in Hitler's radix, where the Sun has an angular position in VII, no particular solar characteristics can be found in his appearance, character or attitude. His career was, however, strongly influenced by the square of Sun to MC (tropical Leo, the Sun's domicile). Of some importance may also be the Sun's rulership over Saturn in X. The most important planets in Hitler's radix are, in the order of their importance, Mercury, Saturn, Uranus, Sun, Mars and Pluto.

While the computation of Mundane conjunctions in RA (RAMC and RAIC), in OA (rising) and OD (setting) have been explained in the appendix, the computation of other mundane combinations, i.e. aspects other than conjunctions, are quite complicated and belong to matters of the Topocentric System and Primary Directions.

INTERPRETATION OF COMBINED PLANETARY SYMBOLISM

There is no longer any doubt that common and prenatal transits reflect all kinds of remarkable psychological experiences. The writer has observed these phenomena day after day for many years, and has reached the conclusion that the effectiveness of both common and prenatal transits is the most strikingly consistent finding in astrology. Important emotional periods will always be accompanied by suitable transits aspecting factors in the radix with small orbs. Naturally, most such experiences are connected with minor or major events. On days when transiting aspects to the radix are numerous, the native will have remarkable psychological experiences, even if important events do not occur. It may be that factors in direct cycles and transits are more connected with external events, while prenatals correspond more to events in the psyche.

Now, the question arises as to the categorization of events. Events may be classified:

- (a) by their temporal psychological influence (strong, moderate or weak)
- (b) according to their consequences, or
- (c) according to their duration

While (a) is directly related to the strength of psychological experience, it is quite otherwise with (b) and (c). Events under the latter are not directly accompanied by corresponding psychological experience; here we are dealing with astrological reflections, which can only be found and interpreted by means of directions. For example: around the defeat at Stalingrad, there matured in Hitler's map the fatal radical square of Mars to Saturn (both in detriment) in the sec-

ondary measurement, one day equals one year of life. This marked the beginning of Hitler's downfall (b) and (c). Directions of this kind cannot always be associated with events and may control long periods of life; they are in most cases, already determined by radical dispositions. However, considerations of this kind can only be made *after* the radical disposition and its maturing direction. Here, *Saturn progressed square Mars radical* had obviously disastrous consequences.

In reality, the disposition as well as the maturation of Saturn progressed square Mars radical is an aspect which existed and came to maturation in many thousands of radices of natives born at that time. The writer is in possession of a radix with the same birth date where this square did not produce anything at all on maturation.

In contrast to this are Primary Directions, which are effective only for two weeks, i.e. the period between New Moon – Full and Noon Moon with a theoretical orb of 2.5° of arc and which depend for their realization on the Transit System (transits and cycles). The writer attaches great importance in analysis as well as in forecast to a psychological interpretation, i.e. to the result of events on the psyche, as will be shown in the following instructions.

THE SUN

Psychological expression: Self confidence, energy, vitality, ambition

It has not yet been possible to ascertain with certainty whether there are different meanings for the four angles of a cyclic chart. However, it can be said that the MC and the Ascendant are more important than the Descendant and the IC. The IC without doubt is the most vulnerable point for the Sun position in a cycle. This may be because the character of the IC, especially in radices, contradicts and cripples the symbolism of the Sun. In the radix, the IC is related to family life, to the mother, and to the end of life. It is therefore no wonder that the SSR's and SLR's frequently show the Sun for death charts on the IC in conjunction or opposition to planets destroying life.

SUN/MOON combinations tend psychologically to show partnership and result in a relationship with other people. The foundation of associations, contracts, marriages, and the beginning of a relationship between man and wife are the events which usually result. Sun/Moon by itself has no sexual meaning, as some astrologers think. The sexual character of such events is symbolized by the additional action of

Venus, Mars or Pluto. Needless to say, if Sun/Moon are accompanied by planets tending to destroy partnership, they will produce a breakdown of such relationship.

SUN/MERCURY stimulates human intellect. With *Jupiter* involved, it gives successful, well balanced thinking, and results in profitable business on a larger or smaller scale. With *Venus*, it produces satisfaction, and is a good combination for artists, on account of newspaper critics. With *Saturn*, pessimism on account of delayed or destroyed business or other things connected with money. With *Uranus*, nervousness. A combination of Sun, Mercury, Saturn, Uranus is very bad for a day on which an examination must be taken.

SUN/VENUS acts on sociability and good fellowship. It gives satisfaction and happiness in all things connected with leisure and pleasure. If *Jupiter* is prominent there will be a very happy time which will be long remembered. With Mars or Pluto it activates sexual desire. With *Saturn* it may give an uncomfortable feeling at parties, or a lack of self-confidence which makes one feel small. *Uranus* may produce sudden or unexpected invitations. This trinity (Sun, Venus, Uranus) often produces excitement of short duration. If Mars conjoins these three planets, affairs may begin under unusual, strange or unforeseen circumstances.

SUN/MARS produces self-confidence, ambition and risks. This is not a complicated combination as the two planets pull together. If assisted by *Jupiter*, success in enterprise may be expected. Sun/Mars/Jupiter is a characteristic combination for success in sports. It produces satisfaction related to successful action. With *Saturn*, pessimism, weakness, and restraint are produced. This combination has frequently been seen in the cyclic charts of defeated sportsmen. In a figurative sense, this defeat may be transferred to other walks of life. With *Uranus*, danger regarding accidents, especially with machines. Motor accidents are frequent under this combination, and also heart attacks, breakdowns from nervous strain or making wrong decisions.

SUN/JUPITER Successful activity in all spheres of life, excellent health. The best combination for quick recovery after illness.

SUN/SATURN Lack of energy, pessimism, resignation. With the Moon, illness and poor health are indicated. Sun/Saturn is a characteristic combination for retirement (resignation), any third planet

giving the explanation of the circumstances. With *Jupiter*, retirement with great honor; with *Uranus*, a sudden event.

SUN/URANUS is of neutral character; sudden decisions, excitement, nervousness. With *Jupiter*, success in the field of discovery. With *Saturn*, discontent, restlessness, failure. With *Mars*, accidents.

SUN/NEPTUNE Weakness, poor sense of reality, deception. This is a typical combination for gossip (*Mercury*), for sex scandal (*Mars*, *Venus*), humiliation (*Saturn*). With *Pluto*, it produces shocks with shame or desperation.

SUN/PLUTO is similar to *Mars* in action. It gives ambition and risk taking, but with more restlessness and persistence. Success in enterprise depends mainly on the presence of *Jupiter*. If *Saturn* is involved, the native may be the victim himself of recklessness or suppression, or audacious and reckless actions of the native may fail and result in shocks (realization of what has been done) or fear.

THE MOON as a dominant factor shows that the native will undergo more than usual psychological experiences resulting from his subconscious mind. It is the mood of the native which expresses itself not in dynamic activity (*Sun*) but in different forms of passive activity, sometimes tending to meditation, moodiness or pessimism. In contact with other people as far as the radix allows, the native will hold a more defensive line. The symbolism of the Moon is represented by motherliness, flexibility, laziness and moodiness.

MOON/MERCURY Adaptation, comprehension, power of judgment. With *Mars*, one may be involved in disputes or rows. *Uranus* gives good ideas with *Jupiter*, or misjudgment with *Mars*. *Neptune* stimulates fantasy and lies. This combination, Moon/Mercury/Neptune, often causes confusion. The native may be the victim of fraud, bad criticism, or gossip.

MOON/VENUS Enjoyment, affection, good humor, adaptability, Moon/Venus events are typical of inactivity. A man might have a long affair without having striven for it. Money gains without effort, such as inheritances, are frequent if *Jupiter* is also involved. With *Saturn*, there is shyness and restriction. Deaths of female friends or relatives are frequent if *Saturn* is involved. In female horoscopes, *Saturn* may cause irregularities (retardation) in menses, while

Uranus tends to prematurity.

MOON/MARS Impulsiveness, resistance, pugnacity, exaggeration. Mostly unfavorable. Loss of temper, offense, rows increasing to real events if supported by other planets. With *Jupiter*, always benevolent. (For example: arguments with favorable results for the native). With *Saturn*, the typical "loser". With *Pluto*, quarrels which are not easily forgotten and may have further consequences.

MOON/JUPITER Optimism, expansion, satisfaction, realization. Nearly always benevolent. With *Saturn*, law-suits (especially divorces) with not too bad consequences for the native. With *Uranus*, sudden births, sometimes a little premature, with no bad consequences. Moon/Jupiter plays an important role in politics.

MOON/SATURN Pessimism, lack of self-confidence, fear, restriction. This combination is in itself very unfavorable, as Moon and Saturn are of opposite character. It brings about all sorts of illnesses, which, even if not serious, last longer than usual. With *Neptune*, illness accompanied by depression are very frequent. In the radix, these three planets, Moon, Saturn, Neptune, if prominent, may cause insanity (manic-depressive psychosis). Moon/Saturn is also characteristic in death charts. With the *Mean Node* of the Moon, deaths of relatives or friends are frequent.

MOON/URANUS Surprises, thrills, shock, increased excitability. A neutral combination which almost depends on the involvement of additional planets. With *Jupiter*, sudden favorable occurrences, such as journeys, the birth of children, etc. Unfavorable if assisted by *Mars* alone, due to excess haste, carelessness, mislead instinct. If *Saturn* is also involved, falls and accidents are frequent.

MOON/NEPTUNE Lack of control of mental process, lack of logic, and good judgment; plans fail. A mostly unfavorable combination. With *Venus* fanciful; with *Mars*, hypersensitive. If *Jupiter* is involved, long journeys by ship may occur. *Uranus* causes impulsive actions due to an unbalanced subconscious mind. (Wrong behavior and unintended confusion). The worst combination in the psychological sense is *Moon/Neptune: Saturn*. Pessimism and depression, like that with Moon/Saturn: Neptune. In cyclic charts of longer duration (such as Solar, Tertiary Lunar, 7 Year Lunar), it is sometimes an indication of the beginning of mental disease with a depressive character.

MOON/PLUTO Unbalanced mind and shock. Natives with dominant Moon/Pluto in their cycle are sometimes subject to restlessness. Shocks in connection with other events are frequent. If *Mars* and *Saturn* are involved, one might be assaulted. With *Mars* and *Neptune*, robberies have been noted. Of course this does not mean that events of this kind coincide with this combination *frequently*.

If the Moon dominates by reason of angularity in a series of cyclic charts for a certain time period, remember that a dominant Moon lets us endure rather than act.

MERCURY as a dominant factor is characteristic for all intellectual activities, such as alertness of mind and writing. It also gives talent for business and aids the professions, journalism, all sorts of trade, and lawyers.

MERCURY/VENUS bestows an aptitude for form and shape, and aids the arts. This combination is important for people engaged in the arts, and when with *Jupiter*, artists have successful exhibitions or performances. Failures if *Saturn* is involved. For non-artists, Mercury/Venus promises pleasure in all sorts of amusement, or disappointment according to other planets involved.

MERCURY/MARS General skill, ready wit, cleverness in mind, self-will, obstinacy, absent-mindedness. This depends very much on a third planet involved. If assisted by *Jupiter*, success in debates, writings and speeches are frequent. *Saturn* causes worries about these matters. *Uranus* may cause "a near miss" with accidents. If *Uranus* and *Mars* radical are in difficult aspect, either in midpoints or to angles, this is particularly to be feared. *Mercury/Mars*: *Uranus* is by itself neutral, and may also be characterized as "reaction", and, in promising combinations, intuition. It is often associated with much excitement.

MERCURY/JUPITER Talent for debate, solid plans, writing, business. This is the great combination for business matters. Besides this, journalists and all kinds of writers depend on it. *Uranus* aids intuition; *Saturn* delays business, lawsuits, and contracts.

MERCURY/SATURN Concentration, thoroughness, diligence, distrust, timidity. With the assistance of *Jupiter*, success in long lasting deeds. Sometimes that which never seemed to come about is realized. With *Uranus*, temporary nervousness often occurs when plans fail.

With *Neptune*, pessimism, hopeless thinking, and plans without prospects.

MERCURY/NEPTUNE Fantasy, imagination, deception, prevarication. This corresponds to the qualities which actors need. Script writers are also dependent on this influence. It is the world of imagination, and not, as some astrologers maintain, the base of intuition. For all people dealing with reality, (most professions) this combination may affect the psyche with more or less strength. With *Saturn* depression and pessimism are frequent. With *Uranus*, the autonomic nervous system may be affected. *Pluto* produces shock, which sometimes causes hysteria or depression. Jupiter strengthens the imagination in a more optimistic way. One may dream of long travel in far continents or of large gains in speculation.

MERCURY/PLUTO Rhetoric, ready wit, impatience, exaggeration, presumptuousness. Success due to Mercury/Pluto is often based on suggestion, exaggeration and presumption. People who end their sentences with a lot of exclamation marks are very characteristic of this combination. Natives with a strong radical position of Mercury and Pluto are often people who cannot be convinced that they have made errors. In cyclic charts of people who have not dealt with writing or speech, the third planet involved is often more important. Mercury/Pluto: Jupiter is a very successful combination for business negotiations, diplomatic tasks, speeches, and writing. Failures and delays in this field are caused by the interference of *Saturn*.

VENUS brings to the fore all matters connected with pure sentiment and affection, resulting in love, recreation and comfort. Also pleasure, amusements and all types of entertainment.

As to the professions, the arts, and especially music, are associated with her. Venus does not exactly symbolize money, but expresses the comfort and luxury which may be achieved by it. Typical representatives of Venus are women of certain beauty who endeavor to live in luxury, through marriage or on a more negative scale, as call girls.

Depending on the radical place and its aspects, Venus may represent the mother, and in male horoscopes, the beloved woman, fiancée or wife. To decide whether the Moon or Venus represents a female associate one must consider:

(a) The position of the Moon and Venus in the radix. According to results of analysis with Primary Directions, Moon (or Venus) usually represents the mother if in the fourth or tenth house of the radix. In the first, fifth and seventh houses of a male horoscope, it is the female partner; in the third, sister.

(b) To judge which female person may be meant by the dominance of the Moon or Venus, an essential role is played by the character and appearance of the associated female.

VENUS/MARS Passion, sexual desire, voluptuousness. This combination covers all sexual matters in male as well as female horoscopes. Therefore sexual activity indicated in cyclic charts by transits or mid-points appears in horoscopes of men and women as an impulse of desire. Events of this kind are, of course, dependent on the involvement of other planets. The *Sun* is very beneficial in female maps, while the *Moon* is so in the horoscopes of men. *Saturn* obstructs and hinders events of this kind especially if aspecting Venus. *Jupiter* gives full satisfaction. *Uranus* conveys new impulses and activities, sometimes in an exaggerated and unconventional form; the expression "bizarre sex" is characteristic of this combination. Pluto tends to sexual exaggeration, which may take the form of brutality, or in temperate radices, to a greater sexual capacity. The combination Venus/Mars/Pluto has often been found in the cyclic charts of brutal sex criminals at the time of their crimes. *Neptune* produces sexual fantasy, often without completion.

VENUS/JUPITER Psychological and physical comfort. General happiness. Satisfactory or lucky events of all kinds may be expected if these planets dominate a pair of common or prenatal cyclic charts. Marriages with *Sun/Moon* or *Mars*. Births with *Mars* or *Uranus*.

VENUS/SATURN Emptiness, restraint, economy. As regards the psychological characteristics of this combination, events with necessary personal impulses are in most cases failures due to restraint and indecision. May cause separations from female relatives and friends, often because of death, (chiefly when the Moon's Mean Node). With *Mercury*, avarice has been noted. With *Mars*, jealousy. With *Neptune*, one is cheated or deceived. With *Pluto*, the ending of something which seemed to be developing into an affair.

VENUS/URANUS Excitability, irritability, eccentric mind, rapture.

In cyclic charts as well as in Halfsums (Midpoints) this combination does not on its own produce any sexual events, as has been maintained in contemporary textbooks. One may be enthusiastic about something unusual, exciting or unexpected. If with *Jupiter*, an excellent combination for enterprises. With *Mars* and/or *Jupiter* it is often found in cyclic charts of birth.

VENUS/NEPTUNE Artistic fantasy, illusion. In contradiction to contemporary textbooks, no sexual fantasy unless Mars or Pluto is involved. With *Mercury*, artistic fantasy, mainly in writings. With *Jupiter*, susceptibility to beauty and art. With *Saturn*, disillusionment. With *Mars*, see Venus/Mars: Neptune.

VENUS/PLUTO combinations are similar to *Venus/Mars* in character as regards the psychological expression, but in a more exaggerated, brutal and/or dangerous form. It might be useful to say that Venus and Pluto both bear a direct relationship to cancer, more especially if both planets are in relation to the radical sixth, eighth, twelfth or first house. In this case, one of the planets should be dominant (near an angle) preferably in the twelfth or first house of the radix. Venus and Pluto relate directly to glands, hormones, and their balance. They may be accompanied by Neptune (not recognized in time to have a successful cure) or Saturn (long lasting and/or cruel).

MARS Energy, activity, courage, impulsiveness, abuse of power, lack of consideration, disregard, recklessness. Mars is direct and audacious, and should by no means be connected with cowardice.

MARS/JUPITER Energy, spirit of enterprise. The perfect combination for successful efforts with well balanced activity. On the angles of cyclic charts, these are the ideal planets if one intends to give up smoking. With *Sun*, see Sun/Mars: Jupiter. With *Mercury*, see Mercury/Mars: Jupiter.

If activated by Saturn, some stagnation in matters which had at first seemed to go well. *Uranus* leads to sudden decisions with good intuition and final success. President Kennedy had such combinations in his cyclic charts covering the Cuban crisis of October 1962. Mars/Jupiter combinations are typical for happy births in the cyclic charts of female horoscopes. With *Saturn*, the birth procedure is often prolonged and complications arise. With *Uranus*, birth takes place prematurely, or is for the moment sudden or unexpected.

MARS/SATURN Fear, feeling of being suppressed. It promotes accidents of all kinds, and broken bones as a result of falls. With *Uranus*, accidents in connection with electricity, machines or automobiles are frequent. *Neptune* is sometimes involved in poisonings, and also in deaths or suicide caused by drugs, narcotics and other poisons such as gas. Regarding illnesses, serious complications after operations (such as infections) are common. As a third factor, *Pluto* often appears in combination on the angles of cyclic charts. In the majority of cases where nothing of any seriousness happens during the cycle, the psychological expression is fear, pessimism, sometimes resistance. It is a time when nothing favorable can be expected to occur. Persons who are by nature prudent and cautious are in general better at overcoming periods like these, while for the careless, who are constantly involved in fights, it may act only as an involvement in a fracas.

MARS/URANUS Unbalanced energy. This combination may be balanced and constructive if joined by Jupiter (See Mars/Jupiter: Uranus). With the *Sun*, sudden operations are performed, also heart attacks occur. With *Mercury*, confused or unrestrained statements, thoughts. With *Venus*, see Venus/Mars:Uranus. With *Neptune*, we have a combination of three planets which are completely different in nature. Psychologically this results in an unbalanced mind, discontent, aggressiveness or weakness. As for illnesses, blackouts or strokes with long unconscious periods are frequent.

MARS/NEPTUNE This combination has received debatable treatment in modern astrology textbooks. For radix interpretation, it has nothing to do with temperance, a philosophical conception, or any kind of talent for the arts. It is also wrong to symbolize the rhythm for music by these two planets. Mars and Neptune are both absolutely without rhythm, i.e. unsteady, unreliable, or even treacherous. For rhythm, good timing and proportional feeling a well balanced Mars and Saturn, preferably with Mercury (intellect) should be expected in radices.

In events, Mars/Neptune is typical of scandal (with (Sun) and disagreeable consequences of confusion (Mercury). One may be assaulted, robbed and thrown in the river, as once happened to Cyril Fagan in Dublin.

With *Venus*, infections, particularly of the genitals, and inflammations

of the lymphatic glands have been noted.

MARS/PLUTO Brutal instinct without consideration, carelessness. This combination is only constructive if assisted by Jupiter, and gives confidence, bravery, spirit of adventure or enterprise, and well balanced ambition. People with strong and unbalanced positions of Mars and Pluto in the radix get mixed up in all kinds of troubles. External events are: *Uranus*, accidents; *Sun*, cuts with knives, operations. *Saturn*, brutality and torture. For Mars/Pluto: Venus see Venus/Mars; Pluto.

JUPITER Expansion, optimism, satisfaction. The great benefic by tradition is undoubtedly the most loved planet in a cyclic chart. In contradistinction to radices, where in certain limited cases he may bring some evil according to his position and aspects, his pure symbolism and psychological expression promise a satisfactory time if he is the dominant planet in a major cyclic chart. However, it should not be forgotten that cyclic charts in the Transit System do not show actual events, but rather represent psychological conditions of a native during the period of the cycle.

Jupiter's chief principles are concord, harmony and law. Contemporary textbooks still connect religion as a whole with Jupiter, but this is not quite correct. Jupiter's relationship to any kind of religion is limited to the laws of a church and its dignitaries. Religion and church matters are symbolized by Neptune (religious belief) and Jupiter (laws, rites, authority). Therefore we often find a prominent Neptune in the current Sidereal Lunar Returns of people visiting holy places like Lourdes. Those having Papal audiences often have Jupiter and Neptune on angles of the SLR.

JUPITER/SATURN promote psychological stability and progress in connection with perseverance when in conjunction on angles, especially the MC. If Jupiter and Saturn aspect each other from angles, it is important for success that Jupiter be elevated over Saturn. Jupiter on MC and Saturn on another angle occur frequently in cyclic charts for successfully elected statesmen (such as U.S. presidents), whereas the elevation of an angular Saturn over Jupiter in most cases produces "the loser". The effectiveness of Jupiter may also be suppressed if one or more malefics are involved. On the other hand, Saturn may have little power if Jupiter conjoins Sun, Venus or Mercury.

JUPITER/URANUS Intuition, inspiration. This is the combination for successful enterprises. With *Sun*, see under SUN. With *Mercury*, success in the field of discoveries, good intuition for business matters. With *Saturn*, failure of good ideas or plans because of delays or obstruction. With *Pluto*, successful beginnings or endings of enterprises.

JUPITER/NEPTUNE (See also under JUPITER) Strengthens fantasy and illusion in a joyful manner. Dreams of material gain, long journeys and so forth, are frequent. With corresponding radical dispositions, the native may be occupied more than usual with religious matters.

JUPITER/PLUTO Induces and strengthens new activities which sometimes result from events such as: ascension to the throne, the start of a new business, or a change in the attitudes towards life. It is the combination for inheritances. This is generally a benevolent combination, particularly if Jupiter and Pluto are the most dominant planets.

SATURN When dominant is characteristic of all types of worries. He produces pessimism, fear and therefore inactivity. Only if occupying an excellent position in the radix does he bestow prudence, caution and patience.

SATURN/URANUS Is a most unbalanced and threatening combination, for all sorts of accidents and blows of fate often occur. The psychological indication of Saturn/Uranus is conflict between fear and stress. Also, events have been noted showing dangerous and destructive activity by the native.

SATURN/PLUTO Is no less destructive in the psychological sense, possibly giving shocks with a following depressive state. These may appear to be sudden, like those of Uranus, but are later found to be the result of long-standing circumstances. If associated with Neptune, this may indicate the end of one's career as the result of well organized and long-lasting intrigues.

SATURN/NEPTUNE Causes depression, melancholy and also hysteria. This psychological combination is often found in drug addicts who are deprived of their drugs.

While the symbolism of Luminaries and the planets Mercury through Saturn is well known in traditional astrology, it is worthwhile to re-

re-examine the new planets, URANUS, NEPTUNE and PLUTO.

As already mentioned, *Uranus* is not at all a malefic, but stands for originality, love of freedom, true intuition and mental ability. In transits, midpoints and cycles where we must interpret the mutual interaction of several planets from the psychological point of view, Uranus often stresses suddenness, surprise and excitement. The character of the event depends on the other planets involved.

In contradistinction to Uranus, *Neptune* is a true malefic and is widely misunderstood by superstitious followers of vague theories, and those who practice astrology and palmistry in their primitive form. Neptune is the enemy of a clear open mind, and is therefore in most cases the opposite of Uranus. We must attribute to Neptune the persecution of the so-called witches, and the standstill of science and philosophy for long periods during the Middle Ages. Neptune is a water planet, and his action is slow, indefinite and treacherous. Under very favorable radical conditions and if activated by benevolent planets, he may inspire fantasy such as is needed in the arts and literature. When activated by malefics, Neptune can produce thieves, magicians of a low order, fortune tellers, pickpockets, etc. Considering illness and death, Neptune is responsible for all types of narcotic use and addiction. With *Mars*, he helps cause infections; with *Mercury*, problems of the mind; with *Moon*, drunkenness. Neptune has no connection with sex, as has been asserted by some astrologers. He may, however, activate sexual fantasy if Mars and/or Venus are involved. In public life, Neptune is often prominent in the cyclic charts of V.I.P.'s; with *Mercury* producing scandal; with *Sun*, often humiliation. With *Moon* and *Saturn*, he appears in the maps of suicides.

PLUTO Is said to be the planet of mass media, propaganda, reckless force, collectivism and fanaticism. Many of the interpretations, which were given shortly after the discovery of Pluto, may be simply analogies derived from the name of the planet. The writer fully confirms Cyril Fagan's statement that Pluto represents shock. It has no tendencies for mass propaganda unless activated by Mercury and/or Uranus. Pluto is not the planet of intellect, but of brutal instinct. The sign Scorpio suits him well, as he is dominant in sex-criminal types, especially when with Venus, Mars or Saturn. Pluto ends matters, often by death when associated with Saturn. With benefics he causes new, successful beginnings which are the result of "the end of the old".

THE MEAN NODE

Analysis has shown that the Mean Node is an effective ecliptical point in astrology. On the other hand, experience shows that *The True Node*, which against tradition has been introduced into Sidereal Astrology by simple human logic, has no astrological effectiveness. Proof of the merit of the Mean Node has been revealed to minutes of arc with the aid of Primary Directions.

For some years, the writer used the Mean Node under the same conditions as the luminaries and planets, that is, as an independent astrological factor, giving it the symbolism of ("Relationship"). But precise and diligent analysis revealed that although this symbolism remains unchanged, the Mean Node's position in cyclic charts deserves a differentiated analysis distinct from that of luminaries and planets. The effectiveness of the Mean Node in a cycle is fulfilled only under certain conditions. In general it can be said (and this also confirms its symbolism) that the Mean Node on its own neither designates psychological conditions nor can it be symbolically personified; neither is it connected with any type of characteristic.

The Mean Node is a catalyst, whose effectiveness depends entirely on the aspects of other astrological factors;

1. An angular Mean Node does not become operative unless aspected by other astrological factors.
2. The most striking combination is the conjunction or opposition of an angular planet, particularly if the Node of the cycle is also in conjunction with a radical planet. Conjunctions are helpful if the Ascending Node connects with a benevolent or neutral planet. The opposition of the Ascending Node is, in fact, a conjunction with the Descending Node, which is evil in character. Therefore it is advisable not to differentiate in this manner between conjunctions and oppositions, but always to evaluate conjunctions of the Ascending Node or conjunctions with the Descending Node.
3. An angular Node in mundane square to an angular planet in a cycle is scarcely operational, unless it is in conjunction or very close aspect to a planet of the radix.

(a) Conjunctions of an angular Ascending Node with one or

more planets may prepare the way to a new relationship. The planets involved sometimes symbolize the person one meets. These conjunctions of planets may be beneficial, especially if Jupiter as a third factor is involved. However, much care must be taken if the Ascending Node conjoins Mars, Saturn, Neptune or Pluto. In all charts analyzed, of this type, Saturn prevented or impaired relationships. Mars often produces trouble in the form of quarrels. Sexual activity is shown by the combination Venus/Mars: Node in male and female horoscopes. New relationship, affection and love in a female chart are represented by Sun/Asc-Node, Jupiter/Asc-Node, and sometimes Mars/Asc-Node. In a male chart, look for Moon/Asc-Node and Venus/Asc-Node.

(b) Destructive tendencies for relationship or friendship are possible from planets which are conjunct the *Descending Node*. Mars, Saturn and Neptune alone may evolve this, while the conjunction of other planets with the *Descending Node* necessitates the support of a planet of destructive nature.

Practical Examples

Venus conjunct Descendant Node on Descendant square Saturn on MC



A young man had to give up his friendship with a girl because his father objected to it.

Saturn conjunct Descending Node on MC opposition Uranus on IC



Sudden death of father.

As explained under (a), the planet conjunct the Node in most cases symbolizes the person involved.

ASTROLOGICAL FORECASTING

Especially in the past 20 years, the development of astrology has made great headway, and decisive statistical proof of its effectiveness has been tested in all its branches. The writer has begun to evaluate the productiveness of Primary Directions on rectified radices with the *mathematics of probabilities*. Readers familiar with this branch of mathematics will agree that it affords very much care and self-control to reproduce credible results. Although the writer is certain that astrology will by statistical proof get attention or even partial recognition by scientists someday, there remains unsolved the fundamental problem of *How to measure the strength of astrological phenomena*.

There are many astrological systems (such as: Directions, Transits and Cyclic Charts) which prove their effectiveness when events which have already transpired are analyzed. However, in forecasting, it is impossible to ascertain if astrological indications covering limited time periods (i.e. a few days or even a month) will result in a major event or not. It is also impossible to specify events precisely in view of the numerous astrological indications we must examine.

Let us presume we have the Primary Direction MC direct conjunct Saturn radical in the horoscope of an individual. With common and prenatal transits and the major cyclic charts also divulging a saturnine effect. What, if anything, can be foreseen in the native's destiny during the time period of this direction, which can be narrowed to a few days utilizing the above-mentioned astrological systems?

There might occur the death of a relative or a friend, difficulties in domestic affairs, unproductive business conditions, and, depending on other planets involved, many other saturnine events which cannot be exactly foreseen, for two reasons, namely:

1. The lack of provable, measurable, dynamic strength.
2. Little likelihood that one can specify the exact character

of the event.

Serious astrologers concur that the success or failure of forecasts, free of speculation in a scientific sense, cannot be expressed percentage-wise. By forecasts free of speculation is meant a prognosis within a short time period (maximum one week) which cannot be related to previous happenings to the native. In fact, if we were to judge all independent forecasts made in this century, and determined the rate of success, the result would prove disastrous. For example: it has often been predicted that certain aged statesmen would die within a year's time, but then they would continue to live years longer, unexpectedly. Of course, it is quite obvious that most of such forecasts are made on poor astrological ground. The thoughtless and unconscionable continue to accept such predictions, neglecting the high rate of failure.

Conscientious professional consulting astrologers may aid their clients by pointing out possible avenues for development, and giving encouragement. It is also admissible and within the capacity of astrology to aid clients to choose favorable time periods for intended enterprises.

The astrologer's tasks are:

1. To indicate possibilities
2. To make speculative forecasts

By speculative forecast is meant a prediction which is either related:

- (a) To previous happenings or
- (b) To a date fixed beforehand.

Let us presume that the aged father of a native is seriously ill, and in a rectified radix has the primary direction MC direct conjunct Saturn radical. This is very likely to cause the father's demise and a speculative prognosis of this kind is admissible, if there is shown a corresponding psychological effect in cyclic charts and transits.

In Political (Mundane) Astrology, all forecasts have a good possibility for realization when they are related to pending matters such as peace following war, results in negotiations, etc. As an example, the writer would like to draw the reader's attention to his

forecast concerning the outcome of the Four Power negotiations over the status of Berlin, (SPICA, London, July, 1971, page 40-41, part of which is reproduced herewith).

"Relation of East and West Germany and the still to be realized new Berlin agreement."

"An analysis for May-December 1971 has been tested with sidereal solars and lunars for the maps of West Berlin, the Federal Republic of Germany and the (East) German Democratic Republic. Whilst all three states have discouraging maps throughout the entire year, there are two time periods when astrologically an agreement or at least fruitful talks are possible:

August 22, 1971
Four Power Agreement
Signed September 3rd

In the Demi-SLR of the GDR there is a powerful Midpoint conjunction of Jupiter and Uranus on the MC. (Demi-SLR 1971, August 25, 5h 53m E.T.) Whilst at about the same time the maps of West Berlin and the FRG also show some tendencies toward constructive negotiations.

September 22, 1971
Disagreements –
Talks between
FRG and GDR collapse

In September-October negotiations may reach the lowest point perhaps with an interruption.

November 12, 1971
Agreement on International aviation between the Soviet Union and the FRG. December 11/12 Agreement over Berlin Initiated

Whilst in the middle of October until December, the time for agreement between East and West Germany is the most favorable".

This example is given to show the possibilities and limitations to which astrological forecasting is bound. The reader will notice that

these events are related to the mentioned dates which were computed by the Overlap Method now to be examined.

OVERLAP METHOD

An event is most likely to occur in that time period covered by all cyclic charts concerned which show the event. This means that there is an *overlapping* period which is covered by all the charts of the different radices analyzed.

The writer invites the reader to test this method on his/her charts. It is generally sufficient to compute common and prenatal SSR's and SLR's for the year. SLR's having prominent and close angular positions should be analyzed closely and reinforced by the Natal Quotidian Lunar (NQL) and its converse. The Demi's of both cycles should also be computed. The probability of an event happening is shown by the planets which are most frequently angular. It is advisable neither to overrate the effectiveness of these splendid cyclic charts nor to forget that the TIME FACTOR limits the chances of making precise forecasts in matters of uncertain duration. In our day, negotiations may take years; while sometimes their prospects seem to be poor, serious forecasting is limited to tendencies which may fully come to pass if reliable radices involved are carefully analyzed. The most successful predictions, however, should be those made for a fixed date.

FIXED DATE

Here the Time Factor is limited to one day, and the character of the event is known. This field of astrology has had a very high percentage of correct predictions since Cyril Fagan's discovery of the SSR and the SLR, and since, as has been demonstrated, more knowledge in the working of transits has been gained. Of course, correct predictions of results in elections of Statesmen or political parties are dependent on the reliability of the radices available. In cases where only two candidates are in question a reliable radix of only one person could give the answer. Reliable radices of all candidates involved, however, considerably increase the chances of an accurate forecast.

THE ASTROLOGICAL ANALYSIS OF FIXED DATES for enterprises of all kinds has existed for several thousands of years, and

may have been the principal task of ancient astrologers acting as advisers to rulers of State, military leaders and others. For various reasons, the writer does not dare to promise a better or happier life to those who are successfully testing dates, as astrological knowledge may reveal with reasonable accuracy favorable or unfavorable days, but in the end it is not actually certain; since the native can exercise his free-will. Or, in the case of mislead feeling or instinct, he may decide to disregard this advice.

As demonstrated in an analysis of President Kennedy's assassination, using transits and their prenatals, converse transits should be the major tools for testing fixed dates. Here, Midpoints play a decisive role, indicating possible psychological influences which the native might experience.

AN INTRODUCTION TO POLITICAL ASTROLOGY

ANALYSIS AND FORECAST

Possibilities and Limitations

Whilst for the horoscopes of individuals it is much easier to obtain workable times of birth, those of countries are in most cases very uncertain. We have here the question as to the most important event which is concerned with the foundation of the state. In the case where we do have such a suitable event for the nativity, the time is often yet uncertain.

In general we must distinguish between:

1. Foundations of states which have a pre-fixed date and time for their coming into force.
2. Spontaneous declarations of states such as the German Republic, proclaimed by Scheidemann on November 9, 1918, 12h 30m U.T.; rectified to 12h 27m 20s U.T. ←
3. The foundation of states when there are a number of possible events from which one must make a difficult choice.

The writer has obtained best results from the reliability and effectiveness of charts in category 2, i.e. the proclamation of states which have been recorded within a few minutes of time.

The analysis of the German Reich, 1871, January 18, 13h has

produced good results with Sidereal Solars and Lunars from 1871 to 1945. A rectification with primary directions gives 12h 50m 15s U.T. as the correct time.

Horoscopes of States in category 1 do not seem to be as revealing as those of category 2. With most of the former, the operational date and time were fixed beforehand and begun at midnight, thereby causing the Sun to remain on the I.C. Such a characteristic could not possibly be true and uniform for all these states. This applies to the radix of Great Britain and a large number of states which owe their constitutions to her.

METHODS OF ANALYSIS AND FORECAST

- A. General prospects for one year can be determined by:
 - (a) Combined SSR's (Transit and Prenatal)
 - (b) Combined Tropical Solars (Transit and Prenatal)
- B. For special analysis of limited time periods:
 - (a) Demi-SSR's (Transit and Prenatal)
 - (b) SLR's and Demi-SLR's (and Prenatal)
 - (c) NQ Lunars (and Prenatal) as demonstrated above.

Concerning *Mundane charts* which must be computed for the Capital of the State analyzed, Lunations and Eclipses should be regarded as more effective (see *Lunations and Eclipses*) than Tropical or Sidereal Ingresses into cardinal Aries, Cancer, Libra and Capricorn. The writer prefers the traditional tropical ingresses which have proven their effectiveness. E.H. Troinski, originator of *Tertiary Directions*, has made perhaps the most complete existing study, computing more than a thousand Mundane charts for capitals of states without any specific relation to radices, for the time period, 700 B.C. to 2080 A.D. In analyzing more than a hundred charts covering the past century, it becomes obvious that Mundane charts are of little practical use when only related to the capital of the state involved. The past 20 years have proven that the forecasts in Troinski's book were decidedly wrong despite the fact that they had been based on similar charts which in the past reflected events of considerable significance. Analysis of Troinski's book *1001 Political Horoscopes*, further reveals that:

1. Lunations and Eclipses remain the most effective mundane charts;

2. Solar ingresses in the cardinal tropical signs are of second order;
3. Solar and Lunar ingresses in the remaining signs, in general may be neglected.

It has been demonstrated above in *Lunations and Eclipses* that these charts are very decisive when used in connection with the radix. Rules for applying them to National horoscopes are similar to those for radices of individuals. Tropical Sun ingresses in cardinal signs computed for national capitals tend to be less important since they are not as closely associated with the elements of a national chart as are Lunations and Eclipses.

However, angularity of characteristic planets is not sufficient to provide links for forecasting without the support of other charts. For example: Cairo and Tel Aviv have about the same geographical coordinates, and in most cases the same planets on angles of ingress maps. Yet, it may happen that one State collapses while the other derives advantage from the cycle. Whereas Lunations and Eclipses can be evaluated individually since they show fairly exact relations to the radix analyzed.

The following are examples of Eclipse and Ingress maps as related to States and individuals:

1. *Total Solar Eclipse 1870, December 22, 12h 20m U.T. 0° Capricorn 31'*

This chart is impressive because the Luminaries are near zero Capricorn (tropical ingress) conjunct Venus and Saturn.

- (a) Computed for Paris it reflects the lost war against Prussia, and the unfavorable peace treaty:

MC	7°	Capricorn	
Sun, Moon	0°	Capricorn 31'	
Saturn	0°	Capricorn 52'	
Venus	3°	Capricorn 56'	
ASC	17°	Aries	
Neptune	19°	Aries	04'

- (b) Computed as a *Prenatal* Total Solar Eclipse for President

Kennedy's assassination (Prenatal Transit 1870, December 3) preceding the event by 19 days.

For Washington:

MC	20°	Libra	
Neptune	19°	Aries	04' (conjunct Kennedy's Desc)
ASC	28°	Sagittarius	
Sun, Moon and Saturn			rising

2. *Total Eclipse of the Moon in 8°30' Leo-Aquarius on IC-MC of the German Reich horoscope (1871, January 18) 1888, January 28, 23h 17m U.T.*

For Berlin :

MC	8°	Leo	(exactly on the Eclipse)
Desc. Node	9°	Leo	47'
Saturn	2°	Leo	38'

Event: Death of Emperor Wilhelm I of Germany

3. *1945 Tropical Aries Solar Ingress, March 20, 23h 38m U.T.*

Event: V-Day (Germany collapses)

(a) For London; MC 22° Virgo; Jupiter 21° Virgo 37'

(b) For Paris; MC 24° Virgo; Jupiter 21° Virgo 37'

(c) For Berlin; MC 6° Libra; Neptune 5° Libra 12'; Sun 0° Aries on IC.

(d) For Moscow; MC 0° Scorpio; Venus 3° Taurus

ANALYSIS OF FIXED DATES

(see Astrological Forecasting-Fixed Date)

INTERPRETATION

It is not difficult to translate meanings of the luminaries and

planets into terms of Political (Mundane) Astrology if the astrologer has a clear understanding of planetary symbolism. Unfortunately this symbolism was often adulterated during the past century. Cyril Fagan, an astrologer who "never beat about the bush", often criticized such wrong and fictional interpretation. Given his analytical mind and vast experience, he had an extraordinary conception of the significance of the planets. In our chapter *Interpretation of Combined Planetary Symbolism*, this writer has outlined common errors which still occur when interpreting the outer planets, Uranus, Neptune and Pluto and also the Moon's Mean Node.

However, it can be seen in some modern articles that errors do extend to the older planets whose significance is supposed to have been known for centuries. Venus, for example, expressed simply, is related to everything connected with love, recreation and comfort, but has by some been used as a factor in maps for the outbreak and victory of wars, even in the absence of cardinal Mars. On the other hand, we should not be satisfied if a cyclic chart has, as the sole indication of the beginning of war, Saturn on the Midheaven.

Apparently disappointing major cyclic charts (SSR and SLR) are generally caused for two main reasons:

(a) Incorrect radices

(b) Failure to use the complementary prenatal (converse) cycles.

As explained previously, converse charts are extremely valuable, especially when the ordinary (direct) chart does not appear to indicate the event.

A successful forecast, if only for the outcome of a presidential election, requires good experience in the analysis of past events. Such an analysis reveals whether the radix is accurate and therefore workable.

INTERPRETATION OF PLANETS IN POLITICAL ASTROLOGY

Luminaries and Planets in Political Astrology relate to the following subjects:

SUN	Power, authority, head of state
MOON	The populace, <u>social affairs</u>
MERCURY	Communication, trade, <u>(diplomatic notes)</u>
VENUS	Peace, comfort, public consumption
MARS	War, military, aggressiveness, initiative
JUPITER	Authority, law and order, expansion, optimism, administration of the law
SATURN	Stagnation, restriction, hunger, unemployment, <u>mourning</u>
URANUS	Sudden changes, reforms, resistance, rebellion, inventions
NEPTUNE	Lack of purpose, disillusion, desultoriness, inflation, strikes, <u>bankruptcies</u> , floods
PLUTO	"Beginning and End", breakdowns, outbreaks of wars, mass-catastrophies, brutalities

MEAN NODE ————— A connecting (Ascendant Node) or separating (Descendant Node) factor in alliances and treaty arrangements. It entirely depends on other planets involved.

The above key-words indicate the matters with which planets are chiefly concerned. It is, however, wrong to relate to the symbolism of planets any strict personification. Whilst it is true that planets are principally concerned with matters given above, one planet alone cannot convey the full nature of the event. For instance; Church authority is related to Jupiter (authorities) and Neptune (religion), but never to one of these alone.

The following planetary combinations have been extracted from analysis using the above recommended system:

PROCLAMATION OF STATES — Sun/Mercury; Mercury/Jupiter

CORONATION OF RULERS — Sun/Jupiter

INAUGURATIONS — Sun/Jupiter

ELECTIONS, PLEBISCITES — Mercury/Jupiter; Moon/Jupiter

BEGINNING OF WARS — Mars/Venus; Pluto/Venus

DEFEATS — Mars/Saturn; Saturn/Pluto

SEA BATTLES — Neptune (nearly always involved)

TREATIES — Mercury/Jupiter; Venus/Mercury
Sun/Venus

ARMISTICE (If victorious) — Sun/Mars; Mars/Jupiter
(If defeated) — Sun/Saturn; Mars/Saturn; Pluto/Saturn

INVENTIONS, EXPLORATIONS- Jupiter/Uranus

EPIDEMICS — Saturn/Neptune

EARTHQUAKES ————— Uranus/Pluto

FLOOD DISASTERS ————— Uranus/Neptune

STOCK MARKET CRASHES

BUSINESS DISASTERS ————— Mercury/Neptune

BANK FAILURES

STRIKES ————— Mars/Neptune

WINNERS IN IMPORTANT

SPORTING EVENTS ————— Sun/Jupiter; Mars/Jupiter

(Like the World Football Cup)

DEATH OF RULERS OF STATE- Moon/Saturn; Saturn/Node; Saturn/Pluto

Most of these examples convey the embodiment of the event with just one pair of planets. But to determine the full nature we must often introduce a third or fourth planet. For instance, a strike may be characterized by Mars/Neptune, but it might be a sudden one (Uranus) or long-lasting (Saturn). It could be the strike of Postal workers (Mercury).

However it is important to note that what has been said above should not be taken as a "fool-proof recipe", but as a guide for clear understanding of the interpretation of combined planetary symbolism which is in reality nothing more than the expression of the psychology of the event.

In reality, planetary combinations, especially in cyclic charts, may produce many results. For this reason, it is nearly impossible to forecast events from cyclic maps of individuals or states without taking into account other factors available to us. For instance, it was not too difficult to forecast for England a victory in the 1966 World Cup Series mainly from SLR's and transits. England has always been one of the best soccer nations and had at that time excellent angular Jupiter combinations. Germany (FRG), who lost the final against England and was second, also had Jupiter angular but on the I.C., while other important factors such as Sun and Mars were below the horizon.

When the date of an event is known beforehand, our mind is automatically directed to this event and we make speculations accordingly. In such cases, transits, prenatal transits and halfsums are


of great help. Developments in political affairs should always be considered in the charts of at least two nations involved. When analyzing the charts of two or more radices, we can say that the prospects for State A in certain affairs are so extremely good and for State B so extremely bad that we can expect an event in accordance with the angular planets involved. On the other hand, if the cyclic charts of two or more states which are in negotiations exhibit the same tendencies toward a peaceful settlement we can certainly expect a positive result. (see section above on the Berlin agreement)

President Ronald Reagan's Natal Chart

With the aid of a Computer Search Program, the writer has been able to establish President Reagan's birth time:

February 6, 1911; 07h 44m 06s U.T. (07h 44m 18s E.T.)

CHART 7



The rectification which has been achieved with Primary directions and 14 major events in his life, is consolidated by many Cycles, explained in this book.

As an example, the Sidereal Demi-Lunars (common and prenatal) for President Reagan's election, November 4, 1980.

MOON radical 12 Scorpio 15

 + 58 (precession for 70 years)

13 Scorpio 13

10 Taurus 16 (Moon October 24, 1980, Noon)

2° 57'


7° 37' (Moon in 12 hours)

$$\frac{2^{\circ} 57' (2.95) * 12}{7^{\circ} 37' (7.617)} = 4.648 = 4h 39m + 12 = \underline{\underline{16h 39m}}$$

DEMI-LUNAR October 24, 1980, 16h 39m E.T. (simplified method)

CHART 7a


RAMC Washington 13h 44m = 206 00



DEMI-LUNAR 1980, October 24	66041	(66017 + 24)	} Day Number Tables
RADIX 1911, February 6	40578	(40572 + 6)	
<u>Difference in days</u>	<u>25463</u>		
RESULT: 1841, May 20	15115		

Raphael's Noon Ephemeris shows that the appropriate Moon positions for computing the prenatal chart are between May 19 (8 Taurus 17) and May 20 (22 Taurus 35), 1841.

THE RESULT: Prenatal Demi-Lunar (for October 24, 1980 =
May 19, 1841; 17h 10m; RAMC Washington 3h 49m
(CHART 7b) 298



In both Demi-Lunars the Sun, symbolizing "Presidency" is right on the Midheaven at his mightiest position. Beside this in the common Demi-Lunar, most planets are above the Horizon, and in the prenatal one, Moon, Mercury and Venus are supporting the Sun.

APPENDIX

MODERN ASTRONOMY MEASURES IN THE FOLLOWING SYSTEMS

(1) Universal Time (U.T.) The alteration of day and night, or the apparent diurnal motion of the Sun.

(2) Ephemeris Time (E.T.) Takes into account the orbital movement of the Earth, Moon and planets in the Solar System.

(3) Sidereal Time (S.T.) The period of rotation of the earth with respect to the diurnal motion of the stars.

Applying these three time measurements to astrology means making a correct distinction between the Ephemeris Time, a purely gravitational constant time measurement in which the tabular values of Sun and planets are computed in the Ephemerides since 1900, and the Universal Time, which is slightly variable and closely connected with the Sidereal Time for computing the R.A.M.C., angles and houses.

For astrologers with research problems requiring special accuracy, the following rules for the use of Universal Time (or Ephemeris Time) when using the Nautical Almanac and Astronomical Ephemerides may be useful.

(a) For years 1900-1959 for Sun and planets use E.T. (Convert U.T. to E.T. or vice versa by means of Table III)

(b) For years 1960 onwards, all factors, Sun, Moon and planets are calculated for E.T.

For the Moon, use U.T. for all years earlier than 1960, as these values of the Moon are adjusted to U.T. and are not on a gravitational base.

Moon positions in the Ephemerides earlier than 1960, regardless how accurately they are interpolated, may err by a considerable number of seconds of arc.

(c) For years earlier than 1900, it is probably best to ignore E.T. for all factors and to use U.T. (G.M.T.) throughout.

As most nativities with which astrologers are working fall in the years before 1960, even radices with a refined rectification do not permit the computation of accurate lunar returns.

In the TRANSIT SYSTEM all effective methods may be used on radices with approximate birth times.

The following computation of the horoscope for J. F. Kennedy's assassination is the example for a standard - - -

RADIX COMPUTATION

Always transfer any given time into Universal Time.

12h 30m (Dallas) plus 6h = 18h 30m U.T. plus Delta T for 1963=34s
plus 34s
18h 30m 34s Eph. Time for planetary positions.

18h 30m U.T.

3m 02s (acceleration for 18h 30m; 9.856 sec. per hour)
04h 01m 03s (Sidereal Time, November 22, Midnight)

22h 34m 05s (R.A. MC Greenwich)
- 6h 27m (Dallas slow)

16h 07m 05s RAMC Dallas. In Arc (multiplied by 15) = 241°45'

The same computation with a Noon Ephemeris

6h 30m (GMT pm)
1m 04s (accelerated for 6h 30m)
16h 3m 01s (Sidereal Time, November 22, Noon)

22h 34m 05s

With Raphael's Tables of Houses for Northern Latitudes

Nagasaki 32° N 45' (Dallas 32° N 43') we get:

MC	4° Sagittarius
XI	27° Sagittarius
XII	20° Capricorn
ASC	19° Aquarius
II	3° Aries
III	7° Taurus

The exact computation of angles and houses in the Topocentric System with the aid of a table computer gives: (North Latitude 32° 43', Obliquity 23° 26.6')

MC	3° Sagittarius 47'
XI	26° Sagittarius 45'
XII	20° Capricorn 12'
ASC	19° Aquarius 27'
II	2° Aries 22'
III	7° Taurus 09'

This computation has been made to show the similarity of Placidian and Topocentric Houses. In practice, for a problem such as this it is sufficient to take approximate figures from Raphael's House Tables with similar North Latitudes. The position of luminaries and planets may be computed with logarithms or by computer.

*For those readers not experienced in immediately finding aspects when comparing planetary positions of charts with factors of the radix, i.e., planets and angles, a Dial similar to those used for the midpoint-technique is recommended.

THE TOPOCENTRIC HOUSE SYSTEM

For many years, the writer was using the Campanus house system, but decided to change to the TOPOCENTRIC system, developed by A.P. Nelson Page and Vendel Polich of Argentina.

This system is of striking simplicity, and, although not based on the astronomical ground one would expect, it is a perfectly valid construction. Formulation being based not on the infinite sphere, but on the finite cone, depending on the latitude of the birthplace. Topocentric Houses play an important role in connection with Primary and Secondary Directions; though their efficacy is not well demonstrated in connection with cycles and transits.

Astrologers using the Placidian houses will find that the Topocentric positions are nearly the same, differing by less than a degree on the intermediate cusps. Placidian houses are computable only by an approximation method, whereas Topocentric houses have real poles, and are computed by the same simple formula as the Ascendant.

FORMULA FOR THE POLES OF TOPOCENTRIC HOUSES

Example: Birthplace of President J.F. Kennedy: Brookline, Mass
42N20

log tan 42° 20'	9.95952	42° 20'	Pole Ascendant
log 3	0.47712		
<hr/>			

log tan pole XI	9.48240	16° 53'	Pole XI and III
+ log 2	0.30103		
<hr/>			

log tan pole XII	9.78343	31° 16.3'	Pole XII and II
------------------	---------	-----------	-----------------

The ecliptical positions of these houses must be computed by the Ascendant formula (houses 30° apart in OA).

THE ASCENDANT FORMULA

(a) $\tan A = \cos(OA) \times \cotan \phi$ (PHI = Pole Ascendant)

(b) $B = A - E$

(c) $\tan \text{Long.} = \frac{\cotan(OA) \times \sin B}{\sin OA}$

Reduction by the application of functional theorems

$$\frac{-\tan \text{Long}}{\sin(OA)} = \frac{\sin E \times \tan \phi - \cos E \times \cos OA}{\sin(OA)}$$

For OA's between 0° and 180° add 90° to the result

For OA's between 180° and 360° add 270° to the result

R.A.M.C. $113^\circ 28.9'$ N. Latitude $42^\circ 20'$ E $23^\circ 27'$

OA XI	$143^\circ 28.9'$	$\phi 16^\circ 53'$ (or 1/3 Tan latitude)
OA XII	$173^\circ 28.9'$	$\phi 31^\circ 16.3'$ (or 2/3 Tan latitude)
OA ASC	$203^\circ 28.9'$	$\phi 42^\circ 20'$
OA II	$233^\circ 28.9'$	$\phi 31^\circ 16.3'$
OA III	$263^\circ 28.9'$	$\phi 16^\circ 53'$

COMPUTATION WITH A MICRO-COMPUTER

$\phi = \tan 42^\circ 20' = 0.910994/3 = 0.303665 = \tan 16^\circ 53.5'$; Pole XI and III; $0.910994 / 1.5 = 0.607329 = \tan 31^\circ 16'$; Pole XII & II

For the completed calculations, see Chart 1.

The remarkable features of the Topocentric House System are:

1. The same formula is used to compute all houses.
2. The Poles are real, with known OA's 30 degrees apart.
3. The Houses are projections on a finite Cone.

COMPUTATION OF MUNDANE PLANETARY POSITIONS

Mundane positions of planets are measured:

- (a) Near MC and IC in Right Ascension (RA)
- (b) Near ASC and DESC in Oblique Ascension (OA) and Oblique Descension (OD).

The formula for computing the RA of a planet

$$\cos RA = \frac{\cos LONG * \cos LAT}{\cos DECL}$$

The following computation methods enable the astrologer to compute mundane positions of planets without special knowledge in trigonometric functions with the aid of a pocket calculator.

Using the above formula for the RA we must distinguish between two cases:

- (1) The planets Tropical longitude in Aries - Virgo (0°-180°)

Final result unchanged

- (2) The planets tropical longitude in Libra-Pisces (180°-360°)

(a) Make result negative (plus becomes minus)

(b) Add 360 degrees

EXAMPLE: Venus in Chart 5a CASE 1, PLANET in ARIES-VIRGO

LONG = 16° Virgo 24' (166° 24'); LAT = 4° S 05' DECL = 1° N 35';
RAMC = 165° 37'

166° 24' DECIMALS (166.4 Display); COS (-0.971961); * ; 4° 05';
DEC (4.083333); COS (0.997462); /; 1° 35'; DEC (1.583333); COS
(0.999618); = (-0.969864); ARC COS (165.8981); D M S 165° 54'

57" VENUS RA = 165° 54'
RAMC = 165° 37'

RESULT = 17' MUNDANE ORB; In TIME = 1m 08s

EXAMPLE: Jupiter in Chart 5a

CASE 2, Planet in Libra-Pisces

LONG = 14° Pisces $30'$ ($344^{\circ} 30'$); LAT = 1° S $30'$; DECL = 7° S $27'$

RAIC = $165^{\circ} 37' + 180^{\circ} = 345^{\circ} 37'$

$344^{\circ} 30'$; DEC (344.5); COS (0.96363); * ; $1^{\circ} 30'$; DEC (1.5):

COS (0.999657); /; $7^{\circ} 27'$ DEC (7.45); COS (0.991558); = (0.971501);

ARC COS (13.7117); CHANGE SIGN (-13.7117); + ; 360 ; = 346.2883 ;

D M S $246^{\circ} 17' 18''$

JUPITER RA = $346^{\circ} 17'$

RAIC = $345^{\circ} 37'$

RESULT = 40' MUNDANE ORB; In TIME = 2m 40s

This method for computing the RA of a planet can be recommended to all who have no special knowledge in handling trigonometric functions. Another advantage of the method shown above is the fact that in all RA computations the signs of LAT and DEC may be neglected, i.e. computations are performed with positive signs throughout (except the COS results on the display of the calculator). In very few cases where the longitude is very near to zero Aries or Libra, and the latitude is large, this method might not work. However, even the experienced mathematician will agree that in these special cases the position of a planet should be determined first on a graph.

The best solution, however, is to use Ephemerides which include the RA positions of Luminaries and planets. For the years 1950 - 2000 *The Complete Planetary Ephemeris* can be recommended.

Rising and Setting of Luminaries and Planets. (Simplified method)

The Oblique Ascension (OA), rising of celestial bodies: The Ascensional difference (AD) must be subtracted from the RA if the Declination of the planet is positive (North) and added if the Declination is negative (South).

The Oblique Descension (OD) of Luminaries and Planets (Setting). The Ascensional Difference (AD) must be added to the RA if the De-

clination of the planet is positive (North) and subtracted if the Declination is negative (South).

The preceding formula is for Northern Geographical latitudes. For Southern latitudes, one must reverse the addition and subtraction signs.

The following simplified method permits (as in the computation of the RA) computation of the Ascensional Difference (AD) with positive (absolute) values throughout:

Formula for Computing the Ascensional Difference (AD)

$$\text{TAN DECL} * \text{TAN PHI (Latitude of the place)} = \text{SIN AD}$$

EXAMPLE for the Oblique Ascension (Rising)

Uranus in Chart 5b; Long. = 0° Cancer 29' Lat = 0° N 11'

DECL = 23° 38' RA = 90° 32' (For computation of RA, please see above), 23° 38'; DEC (23.6333); TAN (0.437575); *;; Lat. of place = 51° N 32'; DEC (51.5333); TAN (1.258673); = (0.550772); ARC SIN (33.42) D M S 33° 25' 12"

RA URANUS 90° 32'

AD URANUS - 33° 25' (DECL positive)

OA URANUS 57° 07'

OA ASC 53° 45' (RAMC = 323° 45' + 90 = 413° 45' - 360 = 53° 45')

RESULT = 3° 22' MUNDANE ORB

EXAMPLE for the OBLIQUE DESCENSION

JUPITER in Chart 5b LONG = 25° Sagittarius 21'; LAT = 0° N 07'; DECL 23° S 15'; TAN 23° 15' * TAN 51° 32' = (ARC) SIN 32° 44'

RA JUPITER 264° 56'

AD JUPITER - 32° 44'

OD JUPITER 232° 12'

OD DESC 233° 45' (RAMC = 323° 45' - 90° = 233° 45')

RESULT 1° 33' MUNDANE ORB

FORMULA FOR CORRECTING THE MOON'S LONGITUDE OR THE TIME OF A LUNAR RETURN

The following method will be found to increase the accuracy of computation of the Moon's position and/or the time of a lunar return, if the computations are performed to full minutes of arc. Due to the irregular apparent motion of the Moon, especially when computing lunars, the error may reach up to nine minutes in time. A glance at our *Table II* shows that the errors (correction figures) increase with the given time of the Moon's position up to twelve hours, and decrease to nil when approaching the time of the Moon's tabular value in the Ephemeris.

EXAMPLE I

WANTED: Corrected Moon position for the Prenatal N.Q.L. of March 29, 1926, 2h 35m p.m. U.T. Uncorrected Moon: 10° Libra 18'

	<u>1st Diff.</u>	<u>2nd Diff.</u>
Moon March 28, 1926 Noon 26° Virgo 43'	12° 16'	
Moon March 29, 1926 Noon 8° Libra 59'	12° 28'	+ 12'
Moon March 30, 1926 Noon 21° Libra 27'	12° 38'	+ 10'
Moon March 31, 1926 Noon 4° Scorpio 05'		
11' the Mean Second Difference		22' divided by 2 = 11'

Table II gives: Horizontally 11' (see 12'); vertically between 2 and 3 hours, therefore the correction must be subtractive. (Rule 1b)

– 0.6' rounded off = 1' of arc

10° Libra 18'

– 01'

10° Libra 17' *the result*

EXAMPLE II

WANTED: Corrected time for Demi-N.Q.L. 1948, November 3
uncorrected time, 15h 09m U.T.

		<u>1st Diff.</u>	<u>2nd Diff.</u>
Moon Nov. 2, Oh	19° Scorpio 23'	12° 59'	
Moon Nov. 3, Oh	3° Sagittarius 22'	13° 36'	– 23'
Moon Nov. 4, Oh	16° Sagittarius 58'	13° 13'	– 23'
Moon Nov. 5, Oh	0° Capricorn 11'		<hr/> – 46'
			divided by 2 = – 23'

– 23 Mean Second Difference

Horizontally (–) 23 (see 24); vertically 15h gives: (Rule 2b)

$$\begin{array}{rcl}
 -2.8 \text{ doubled} = 5.6 & 15\text{h } 09\text{m} & \\
 & - \quad 06\text{m} & \\
 \hline
 & 15\text{h } 03\text{m}, & \text{Corrected Time}
 \end{array}$$

TABLE I

FOR PRENATAL TRANSITS

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1800	00000	00031	00059	00090	00120	00151
1801	00365	00396	00424	00455	00485	00516
1802	00730	00761	00789	00820	00850	00881
1803	01095	01126	01154	01185	01215	01246
1804	01460	01491	01520	01551	01581	01612
1805	01826	01857	01885	01916	01946	01977
1806	02191	02222	02250	02281	02311	02342
1807	02556	02587	02615	02646	02676	02707
1808	02921	02952	02981	03012	03042	03073
1809	03287	03318	03346	03377	03407	03438
1810	03652	03683	03711	03742	03772	03803
1811	04017	04048	04076	04107	04137	04168
1812	04382	04413	04442	04473	04503	04534
1813	04748	04779	04807	04838	04868	04899
1814	05113	05144	05172	05203	05233	05264
1815	05478	05509	05537	05568	05598	05629
1816	05843	05874	05903	05934	05964	05995
1817	06209	06240	06268	06299	06329	06360
1818	06574	06605	06633	06664	06694	06725
1819	06939	06970	06998	07029	07059	07090
1820	07304	07335	07364	07395	07425	07456
1821	07670	07701	07729	07760	07790	07821
1822	08035	08066	08094	08125	08155	08186
1823	08400	08431	08459	08490	08520	08551
1824	08765	08796	08825	08856	08886	08917
1825	09131	09162	09190	09221	09251	09282
1826	09496	09527	09555	09586	09616	09647
1827	09861	09892	09920	09951	09981	10012

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1800	00181	00212	00243	00273	00304	00334
1801	00546	00577	00608	00638	00669	00699
1802	00911	00942	00973	01003	01034	01064
1803	01276	01307	01338	01368	01399	01429
1804	01642	01673	01704	01734	01765	01795
1805	02007	02038	02069	02099	02130	02160
1806	02372	02403	02434	02464	02495	02525
1807	02737	02768	02799	02829	02860	02890
1808	03103	03134	03165	03195	03226	03256
1809	03468	03499	03530	03560	03591	03621
1810	03833	03864	03895	03925	03956	03986
1811	04198	04229	04260	04290	04321	04351
1812	04564	04595	04626	04656	04687	04717
1813	04929	04960	04991	05021	05052	05082
1814	05294	05325	05356	05386	05417	05447
1815	05659	05690	05721	05751	05782	05812
1816	06025	06056	06087	06117	06148	06178
1817	06390	06421	06452	06482	06513	06543
1818	06755	06786	06817	06847	06878	06908
1819	07120	07151	07182	07212	07243	07273
1820	07486	07517	07548	07578	07609	07639
1821	07851	07882	07913	07943	07974	08004
1822	08216	08247	08278	08308	08339	08369
1823	08581	08612	08643	08673	08704	08734
1824	08947	08978	09009	09039	09070	09100
1825	09312	09343	09374	09404	09435	09465
1826	09677	09708	09739	09769	09800	09830
1827	10042	10073	10104	10134	10165	10195

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1828	10226	10257	10286	10317	10347	10378
1829	10592	10623	10651	10682	10712	10743
1830	10957	10988	11016	11047	11077	11108
1831	11322	11353	11381	11412	11442	11473
1832	11687	11718	11747	11778	11808	11839
1833	12053	12084	12112	12143	12173	12204
1834	12418	12449	12477	12508	12538	12569
1835	12783	12814	12842	12873	12903	12934
1836	13148	13179	13208	13239	13269	13300
1837	13514	13545	13573	13604	13634	13665
1838	13879	13910	13938	13969	13999	14030
1839	14244	14275	14303	14334	14364	14395
1840	14609	14640	14669	14700	14730	14761
1841	14975	15006	15034	15065	15095	15126
1842	15340	15371	15399	15430	15460	15491
1843	15705	15736	15764	15795	15825	15856
1844	16070	16101	16130	16161	16191	16222
1845	16436	16467	16495	16526	16556	16587
1846	16801	16832	16860	16891	16921	16952
1847	17166	17197	17225	17256	17286	17317
1848	17531	17562	17591	17622	17652	17683
1849	17897	17928	17956	17987	18017	18048
1850	18262	18293	18321	18352	18382	18413
1851	18627	18658	18686	18717	18747	18778
1852	18992	19023	19052	19083	19113	19144
1853	19358	19389	19417	19448	19478	19509
1854	19723	19754	19782	19813	19843	19874
1855	20088	20119	20147	20178	20208	20239

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1828	10408	10439	10470	10500	10531	10561
1829	10773	10804	10835	10865	10896	10926
1830	11138	11169	11200	11230	11261	11291
1831	11503	11534	11565	11595	11626	11656
1832	11869	11900	11931	11961	11992	12022
1833	12234	12265	12296	12326	12357	12387
1834	12599	12630	12661	12691	12722	12752
1835	12964	12995	13026	13056	13087	13117
1836	13330	13361	13392	13422	13453	13483
1837	13695	13726	13757	13787	13818	13848
1838	14060	14091	14122	14152	14183	14213
1839	14425	14456	14487	14517	14548	14578
1840	14791	14822	14853	14883	14914	14944
1841	15156	15187	15218	15248	15279	15309
1842	15521	15552	15583	15613	15644	15674
1843	15886	15917	15948	15978	16009	16039
1844	16252	16283	16314	16344	16375	16405
1845	16617	16648	16679	16709	16740	16770
1846	16982	17013	17044	17074	17105	17135
1847	17347	17378	17409	17439	17470	17500
1848	17713	17744	17775	17805	17836	17866
1849	18078	18109	18140	18170	18201	18231
1850	18443	18474	18505	18535	18566	18596
1851	18808	18839	18870	18900	18931	18961
1852	19174	19205	19236	19266	19297	19327
1853	19539	19570	19601	19631	19662	19692
1854	19904	19935	19966	19996	20027	20057
1855	20269	20300	20331	20361	20392	20422

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1856	20453	20484	20513	20544	20574	20605
1857	20819	20850	20878	20909	20939	20970
1858	21184	21215	21243	21274	21304	21335
1859	21549	21580	21608	21639	21669	21700
1860	21914	21945	21974	22005	22035	22066
1861	22280	22311	22339	22370	22400	22431
1862	22645	22676	22704	22735	22765	22796
1863	23010	23041	23069	23100	23130	23161
1864	23375	23406	23435	23466	23496	23527
1865	23741	23772	23800	23831	23861	23892
1866	24106	24137	24165	24196	24226	24257
1867	24471	24502	24530	24561	24591	24622
1868	24836	24867	24896	24927	24957	24988
1869	25202	25233	25261	25292	25322	25353
1870	25567	25598	25626	25657	25687	25718
1871	25932	25963	25991	26022	26052	26083
1872	26297	26328	26357	26388	26418	26449
1873	26663	26694	26722	26753	26783	26814
1874	27028	27059	27087	27118	27148	27179
1875	27393	27424	27452	27483	27513	27544
1876	27758	27789	27818	27849	27879	27910
1877	28124	28155	28183	28214	28244	28275
1878	28489	28520	28548	28579	28609	28640
1879	28854	28885	28913	28944	28974	29005
1880	29219	29250	29279	29310	29340	29371
1881	29585	29616	29644	29675	29705	29736
1882	29950	29981	30009	30040	30070	30101
1883	30315	30346	30374	30405	30435	30466

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1856	20635	20666	20697	20727	20758	20788
1857	21000	21031	21062	21092	21123	21153
1858	21365	21396	21427	21457	21488	21518
1859	21730	21761	21792	21822	21853	21883
1860	22096	22127	22158	22188	22219	22249
1861	22461	22492	22523	22553	22584	22614
1862	22826	22857	22888	22918	22949	22979
1863	23191	23222	23253	23283	23314	23344
1864	23557	23588	23619	23649	23680	23710
1865	23922	23953	23984	24014	24045	24075
1866	24287	24318	24349	24379	24410	24440
1867	24652	24683	24714	24744	24775	24805
1868	25018	25049	25080	25110	25141	25171
1869	25383	25414	25445	25475	25506	25536
1870	25748	25779	25810	25840	25871	25901
1871	26113	26144	26175	26205	26236	26266
1872	26479	26510	26541	26571	26602	26632
1873	26844	26875	26906	26936	26967	26997
1874	27209	27240	27271	27301	27332	27362
1875	27574	27605	27636	27666	27697	27727
1876	27940	27971	28002	28032	28063	28093
1877	28305	28336	28367	28397	28428	28458
1878	28670	28701	28732	28762	28793	28823
1879	29035	29066	29097	29127	29158	29188
1880	29401	29432	29463	29493	29524	29554
1881	29766	29797	29828	29858	29889	29919
1882	30131	30162	30193	30223	30254	30284
1883	30496	30527	30558	30588	30619	30649

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1884	30680	30711	30740	30771	30801	30832
1885	31046	31077	31105	31136	31166	31197
1886	31411	31442	31470	31501	31531	31562
1887	31776	31807	31835	31866	31896	31927
1888	32141	32172	32201	32232	32262	32293
1889	32507	32538	32566	32597	32627	32658
1890	32872	32903	32931	32962	32992	33023
1891	33237	33268	33296	33327	33357	33388
1892	33602	33633	33662	33693	33723	33754
1893	33968	33999	34027	34058	34088	34119
1894	34333	34364	34392	34423	34453	34484
1895	34698	34729	34757	34788	34818	34849
1896	35063	35094	35123	35154	35184	35215
1897	35429	35460	35488	35519	35549	35580
1898	35794	35825	35853	35884	35914	35945
1899	36159	36190	36218	36249	36279	36310
1900	36524	36555	36583	36614	36644	36675
1901	36889	36920	36948	36979	37009	37040
1902	37254	37285	37313	37344	37374	37405
1903	37619	37650	37678	37709	37739	37770
1904	37984	38015	38044	38075	38105	38136
1905	38350	38381	38409	38440	38470	38501
1906	38715	38746	38774	38805	38835	38866
1907	39080	39111	39139	39170	39200	39231
1908	39445	39476	39505	39536	39566	39597
1909	39811	39842	39870	39901	39931	39962
1910	40176	40207	40235	40266	40296	40327
1911	40541	40572	40600	40631	40661	40692
1912	40906	40937	40966	40997	41027	41058

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1884	30862	30893	30924	30954	30985	31015
1885	31227	31258	31289	31319	31350	31380
1886	31592	31623	31654	31684	31715	31745
1887	31957	31988	32019	32049	32080	32110
1888	32323	32354	32385	32415	32446	32476
1889	32688	32719	32750	32780	32811	32841
1890	33053	33084	33115	33145	33176	33206
1891	33418	33449	33480	33510	33541	33571
1892	33784	33815	33846	33876	33907	33937
1893	34149	34180	34211	34241	34272	34302
1894	34514	34545	34576	34606	34637	34667
1895	34879	34910	34941	34971	35002	35032
1896	35245	35276	35307	35337	35368	35398
1897	35610	35641	35672	35702	35733	35763
1898	35975	36006	36037	36067	36098	36128
1899	36340	36371	36402	36432	36463	36493
1900	36705	36736	36767	36797	36828	36858
1901	37070	37101	37132	37162	37193	37223
1902	37435	37466	37497	37527	37558	37588
1903	37800	37831	37862	37892	37923	37953
1904	38166	38197	38228	38258	38289	38319
1905	38531	38562	38593	38623	38654	38684
1906	38896	38927	38958	38988	39019	39049
1907	39261	39292	39323	39353	39384	39414
1908	39627	39658	39689	39719	39750	39780
1909	39992	40023	40054	40084	40115	40145
1910	40357	40388	40419	40449	40480	40510
1911	40722	40753	40784	40814	40845	40875
1912	41088	41119	41150	41180	41211	41241

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1913	41272	41303	41331	41362	41392	41423
1914	41637	41668	41696	41727	41757	41788
1915	42002	42033	42061	42092	42122	42153
1916	42367	42398	42427	42458	42488	42519
1917	42733	42764	42792	42823	42853	42884
1918	43098	43129	43157	43188	43218	43249
1919	43463	43494	43522	43553	43583	43614
1920	43828	43859	43888	43919	43949	43980
1921	44194	44225	44253	44284	44314	44345
1922	44559	44590	44618	44649	44679	44710
1923	44924	44955	44983	45014	45044	45075
1924	45289	45320	45349	45380	45410	45441
1925	45655	45686	45714	45745	45775	45806
1926	46020	46051	46079	46110	46140	46171
1927	46385	46416	46444	46475	46505	46536
1928	46750	46781	46810	46841	46871	46902
1929	47116	47147	47175	47206	47236	47267
1930	47481	47512	47540	47571	47601	47632
1931	47846	47877	47905	47936	47966	47997
1932	48211	48242	48271	48302	48332	48363
1933	48577	48608	48636	48667	48697	48728
1934	48942	48973	49001	49032	49062	49093
1935	49307	49338	49366	49397	49427	49458
1936	49672	49703	49732	49763	49793	49824
1937	50038	50069	50097	50128	50158	50189
1938	50403	50434	50462	50493	50523	50554
1939	50768	50799	50827	50858	50888	50919
1940	51133	51164	51193	51224	51254	51285
1941	51499	51530	51558	51589	51619	51650
1942	51864	51895	51923	51954	51984	52015

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1913	41453	41484	41515	41545	41576	41606
1914	41818	41849	41880	41910	41941	41971
1915	42183	42214	42245	42275	42306	42336
1916	42549	42580	42611	42641	42672	42702
1917	42914	42945	42976	43006	43037	43067
1918	43279	43310	43341	43371	43402	43432
1919	43644	43675	43706	43736	43767	43797
1920	44010	44041	44072	44102	44133	44163
1921	44375	44406	44437	44467	44498	44528
1922	44740	44771	44802	44832	44863	44893
1923	45105	45136	45167	45197	45228	45258
1924	45471	45502	45533	45563	45594	45624
1925	45836	45867	45898	45928	45959	45989
1926	46201	46232	46263	46293	46324	46354
1927	46566	46597	46628	46658	46689	46719
1928	46932	46963	46994	47024	47055	47085
1929	47297	47328	47359	47389	47420	47450
1930	47662	47693	47724	47754	47785	47815
1931	48027	48058	48089	48119	48150	48180
1932	48393	48424	48455	48485	48516	48546
1933	48758	48789	48820	48850	48881	48911
1934	49123	49154	49185	49215	49246	49276
1935	49488	49519	49550	49580	49611	49641
1936	49854	49885	49916	49946	49977	50007
1937	50219	50250	50281	50311	50342	50372
1938	50584	50615	50646	50676	50707	50737
1939	50949	50980	51011	51041	51072	51102
1940	51315	51346	51377	51407	51438	51468
1941	51680	51711	51742	51772	51803	51833
1942	52045	52076	52107	52137	52168	52198

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1943	52229	52260	52288	52319	52349	52380
1944	52594	52625	52654	52685	52715	52746
1945	52960	52991	53019	53050	53080	53111
1946	53325	53356	53384	53415	53445	53476
1947	53690	53721	53749	53780	53810	53841
1948	54055	54086	54115	54146	54176	54207
1949	54421	54452	54480	54511	54541	54572
1950	54786	54817	54845	54876	54906	54937
1951	55151	55182	55210	55241	55271	55302
1952	55516	55547	55576	55607	55637	55668
1953	55882	55913	55941	55972	56002	56033
1954	56247	56278	56306	56337	56367	56398
1955	56612	56643	56671	56702	56732	56763
1956	56977	57008	57037	57068	57098	57129
1957	57343	57374	57402	57433	57463	57494
1958	57708	57739	57767	57798	57828	57859
1959	58073	58104	58132	58163	58193	58224
1960	58438	58469	58498	58529	58559	58590
1961	58804	58835	58863	58894	58924	58955
1962	59169	59200	59228	59259	59289	59320
1963	59534	59565	59593	59624	59654	59685
1964	59899	59930	59959	59990	60020	60051
1965	60265	60296	60324	60355	60385	60416
1966	60630	60661	60689	60720	60750	60781
1967	60995	61026	61054	61085	61115	61146
1968	61360	61391	61420	61451	61481	61512
1969	61726	61757	61785	61816	61846	61877
1970	62091	62122	62150	62181	62211	62242

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1943	52410	52441	52472	52502	52533	52563
1944	52776	52807	52838	52868	52899	52929
1945	53141	53172	53203	53233	53264	53294
1946	53506	53537	53568	53598	53629	53659
1947	53871	53902	53933	53963	53994	54024
1948	54237	54268	54299	54329	54360	54390
1949	54602	54633	54664	54694	54725	54755
1950	54967	54998	55029	55059	55090	55120
1951	55332	55363	55394	55424	55455	55485
1952	55698	55729	55760	55790	55821	55851
1953	56063	56094	56125	56155	56186	56216
1954	56428	56459	56490	56520	56551	56581
1955	56793	56824	56855	56885	56916	56946
1956	57159	57190	57221	57251	57282	57312
1957	57524	57555	57586	57616	57647	57677
1958	57889	57920	57951	57981	58012	58042
1959	58254	58285	58316	58346	58377	58407
1960	58620	58651	58682	58712	58743	58773
1961	58985	59016	59047	59077	59108	59138
1962	59350	59381	59412	59442	59473	59503
1963	59715	59746	59777	59807	59838	59868
1964	60081	60112	60143	60173	60204	60234
1965	60446	60477	60508	60538	60569	60599
1966	60811	60842	60873	60903	60934	60964
1967	61176	61207	61238	61268	61299	61329
1968	61542	61573	61604	61634	61665	61695
1969	61907	61938	61969	61999	62030	62060
1970	62272	62303	62334	62364	62395	62425

<i>Year</i>	<i>Jan</i>	<i>Feb</i>	<i>Mar</i>	<i>Apr</i>	<i>May</i>	<i>Jun</i>
1971	62456	62487	62515	62546	62576	62607
1972	62821	62852	62881	62912	62942	62973
1973	63187	63218	63246	63277	63307	63338
1974	63552	63583	63611	63642	63672	63703
1975	63917	63948	63976	64007	64037	64068
1976	64282	64313	64342	64373	64403	64434
1977	64648	64679	64707	64738	64768	64799
1978	65013	65044	65072	65103	65133	65164
1979	65378	65409	65437	65468	65498	65529
1980	65743	65774	65803	65834	65864	65895
1981	66109	66140	66168	66199	66229	66260
1982	66474	66505	66533	66564	66594	66625
1983	66839	66870	66898	66929	66959	66990
1984	67204	67235	67264	67295	67325	67356
1985	67570	67601	67629	67660	67690	67721
1986	67935	67966	67994	68025	68055	68086
1987	68300	68331	68359	68390	68420	68451
1988	68665	68696	68725	68756	68786	68817
1989	69031	69062	69090	69121	69151	69182
1990	69396	69427	69455	69486	69516	69547
1991	69761	69792	69820	69851	69881	69912
1992	70126	70157	70186	70217	70247	70278
1993	70492	70523	70551	70582	70612	70643
1994	70857	70888	70916	70947	70977	71008
1995	71222	71253	71281	71312	71342	71373
1996	71587	71618	71647	71678	71708	71739
1997	71953	71984	72012	72043	72073	72104
1998	72318	72349	72377	72408	72438	72469
1999	72683	72714	72742	72773	72803	72834

<i>Year</i>	<i>Jul</i>	<i>Aug</i>	<i>Sep</i>	<i>Oct</i>	<i>Nov</i>	<i>Dec</i>
1971	62637	62668	62699	62729	62760	62790
1972	63003	63034	63065	63095	63126	63156
1973	63368	63399	63430	63460	63491	63521
1974	63733	63764	63795	63825	63856	63886
1975	64098	64129	64160	64190	64221	64251
1976	64464	64495	64526	64556	64587	64617
1977	64829	64860	64891	64921	64952	64982
1978	65194	65225	65256	65286	65317	65347
1979	65559	65590	65621	65651	65682	65712
1980	65925	65956	65987	66017	66048	66078
1981	66290	66321	66352	66382	66413	66443
1982	66655	66686	66717	66747	66778	66808
1983	67020	67051	67082	67112	67143	67173
1984	67386	67417	67448	67478	67509	67539
1985	67751	67782	67813	67843	67874	67904
1986	68116	68147	68178	68208	68239	68269
1987	68481	68512	68543	68573	68604	68634
1988	68847	68878	68909	68939	68970	69000
1989	69212	69243	69274	69304	69335	69365
1990	69577	69608	69639	69669	69700	69730
1991	69942	69973	70004	70034	70065	70095
1992	70308	70339	70370	70400	70431	70461
1993	70673	70704	70735	70765	70796	70826
1994	71038	71069	71100	71130	71161	71191
1995	71403	71434	71465	71495	71526	71556
1996	71769	71800	71831	71861	71892	71922
1997	72134	72165	72196	72226	72257	72287
1998	72499	72530	72561	72591	72622	72652
1999	72864	72895	72926	72956	72987	73017

TABLE II.

COMBINED TABLES TO CORRECT THE MOON'S LONGITUDE
OR
THE TIME OF A LUNAR RETURN

- (1) The adjustment to the Moon's position (tables below) must be:
(a) Added when the Moon's motion is decreasing.
(b) Subtracted when the Moon's motion is increasing.
- (2) The adjustment of the time for Lunars must be:
(a) Added when the Moon's motion is increasing.
(b) Subtracted when the Moon's motion is decreasing.

*FOR LUNARS THE CORRECTION FROM THE TABLES
MUST BE DOUBLED*

The Mean Second Difference in between 4 Ephemeris values

<i>Interval in hours</i>	<i>6'</i>	<i>12'</i>	<i>18'</i>	<i>24'</i>	<i>30'</i>	<i>36'</i>	<i>Interval in hours</i>
1	0.1'	0.2'	0.4'	0.5'	0.6'	0.7'	23
2	0.2	0.5	0.7	0.9	1.2	1.4	22
3	0.3	0.7	1.0	1.3	1.6	2.0	21
4	0.4	0.8	1.3	1.7	2.1	2.5	20
5	0.5	1.0	1.5	2.0	2.3	3.0	19
6	0.6	1.1	1.7	2.3	2.7	3.4	18
7	0.6	1.2	1.9	2.5	3.0	3.7	17
8	0.6	1.3	2.0	2.7	3.2	4.0	16
9	0.7	1.4	2.1	2.8	3.4	4.2	15
10	0.7	1.5	2.2	2.9	3.7	4.4	14
11	0.7	1.5	2.2	3.0	3.7	4.5	13
12	0.7	1.5	2.2	3.0	3.7	4.5	12

TABLE III.
REDUCTION FROM EPHEMERIS TO UNIVERSAL TIME

	SEC		SEC		SEC
1900	+ 4	1925	-22	1950	-30
1901	+ 3	1926	-23	1951	-30
1902	+ 1	1927	-23	1952	-30
1903	- 1	1928	-23	1953	-31
1904	- 2	1929	-23	1954	-31
1905	- 3	1930	-23	1955	-32
1906	- 5	1931	-23	1956	-32
1907	- 6	1932	-24	1957	-32
1908	- 7	1933	-24	1958	-33
1909	- 9	1934	-24	1959	-33
1910	-10	1935	-24	1960	-33
1911	-12	1936	-24	1961	-34
1912	-13	1937	-24	1962	-34
1913	-14	1938	-24	1963	-34
1914	-16	1939	-24	1964	-35
1915	-16	1940	-24	1965	-36
1916	-17	1941	-25	1966	-37
1917	-19	1942	-25	1967	-38
1918	-19	1943	-26	1968	-39
1919	-20	1944	-26	1969	-40
1920	-20	1945	-26	1970	-40
1921	-21	1946	-27	1971	-41
1922	-22	1947	-28	1972	-42
1923	-22	1948	-28	1973	-43
1924	-22	1949	-29	1974	-45

EXAMPLE: (a) SSR 1950, April 8, 21h 35m 47s E.T. minus 30s = 21h 35m 17s U.T.

(b) *Event*: 1956, October 21, 15h 23m 08s U.T. plus 32s = 15h 23m 40s E.T.

MIDPOINTS RADIX J. F. KENNEDY

0 Sagittarius	24 NO/AS	7 Gemini	50 SUN
0 Gemini	27 SU/JU	7 Libra	52 PL/NO
1 Leo	56 MO/VE	8 Libra	23 JU/UR
2 Cancer	30 SU/SA	9 Cancer	42 VE/NE
2 Gemini	35 VE/MA	10 Leo	11 MO/PL
2 Leo	40 NEPTUNE	10 Scorpio	26 SA/UR
2 Libra	43 MO/AS	10 Virgo	30 NE/AS
3 Aquarius	06 UR/NO	10 Gemini	50 MA/PL
3 Cancer	14 PLUTO	11 Gemini	55 ME/PL
3 Leo	22 MA/AS	12 Gemini	17 SU/VE
3 Gemini	40 ME/VE	12 Cancer	29 PL/MC
4 Cancer	14 VE/MC	12 Capricorn	29 NODE
4 Leo	27 ME/AS	13 Leo	05 SU/AS
4 Gemini	54 VE/JU	13 Gemini	08 JU/PL
5 Virgo	01 MC/AS	13 Scorpio	12 UR/NE
5 Cancer	15 SU/NE	14 Scorpio	49 MO/NO
5 Sagittarius	26 MO/UR	15 Cancer	12 SA/PL
5 Leo	41 JU/AS	15 Virgo	27 MA/NO
6 Libra	04 MA/UR	15 Libra	47 SU/UR
6 Cancer	57 VE/SA	16 Virgo	33 ME/NO
7 Libra	10 ME/UR	16 Gemini	44 VENUS
7 Scorpio	43 UR/MC	17 Libra	06 NO/MC
7 Virgo	44 SA/AS	17 Virgo	08 MOON

MIDPOINTS RADIX J. F. KENNEDY

17 Leo	32 VE/AS	22 Gemini	48 MA/SA
17 Virgo	46 JU/NO	23 Taurus	03 JUPITER
17 Cancer	47 MO/MA	23 Aquarius	43 URANUS
17 Cancer	57 NE/PL	23 Gemini	53 ME/SA
18 Libra	19 ASC	24 Cancer	27 SA/MC
18 Taurus	26 MARS	24 Leo	54 MO/NE
18 Cancer	52 MO/ME	24 Gemini	59 VE/PL
19 Leo	26 MO/MC	25 Gemini	06 JU/SA
19 Taurus	31 ME/MA	25 Virgo	10 SU/NO
19 Libra	49 SA/NO	25 Gemini	33 MA/NE
20 Gemini	05 MA/MC	25 Leo	46 PL/AS
20 Cancer	05 MO/JU	26 Gemini	38 ME/NE
20 Libra	14 VE/UR	27 Cancer	10 SATURN
20 Gemini	32 SU/PL	27 Cancer	12 NE/MC
20 Taurus	37 MERCURY	27 Cancer	29 SU/MO
20 Taurus	44 MA/JU	27 Gemini	52 JU/NE
21 Sagittarius	01 UR/AS	28 Taurus	08 SU/MA
21 Gemini	10 ME/MC	28 Libra	29 UR/PL
21 Cancer	44 MC	29 Taurus	13 SU/ME
21 Taurus	49 ME/JU	29 Gemini	47 SU/MC
22 Leo	09 MO/SA	29 Virgo	37 VE/NO
22 Gemini	23 JU/MO	29 Cancer	55 SA/NE
22 Libra	35 NE/NO		